COMMISSARY

U.S. Army
Presidio of San Francisco
California

U.S. ARMY ENGINEER DISTRICT SACRAMENTO

This is provided as an accommodation only and is without representation or warranty as to its accuracy or completeness. Recipients are advised not to rely on this, but to conduct their own independent investigations and to satisfy themselves as to all matters concerning safety, projected rehabilitation/conversion cost, and projected revenue. Acceptance and use of this constitutes acknowledgement by the recipient that its use of this is subject t the foregoing conditions.

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & BOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, OSNO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: E. Lewis
CHECKED: W. Miller
SUBMITTED: E. Levy

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

TITLE SHEET

SIGNATURES AFFIXED BELOW INDICATE OFFICIAL RECOMMENDATION AND APPROVAL OF ALL DRAWINGS IN THIS SET AS INDEXED ON NEXT SHEET

APPROVAL RECOMMENDED: Ted Bell
CHIEF, ARCH. ENGR. BRANCH

APPROVED: [signature]
CHIEF, ENGINEERING DIVISION

DATE: 11 JUNE 7

PREPARED UNDER THE DIRECTION OF
WAYNE J. SCHOLL
COL. CORPS OF ENGINEERS, U.S.A.
DISTRICT ENGINEER

SCALE:
SPEC. No. 7285
SHEET G1.1
FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

C1073

FUNCTION ANALYSIS - VE PAYS



INDEX TO DRAWINGS

CONSECUTIVE SHEET NO.	DISCIPLINE SHEET NO.	DRAWING TITLE
1 OF 155	G1.1	TITLE SHEET
2 OF 155	G1.2	DRAWING INDEX, LOCATION & VICINITY MAP
3 OF 155	C1.1	SITE PLAN LEGEND
4 OF 155	C1.2	SITE SURVEY & DEMOLITION PLAN
4A OF 155	C1.3	SITE SURVEY (SUPPLEMENTARY REFRENCE SHEET)
5 OF 155	C2.1	SITE LAYOUT PLAN
6 OF 155	C2.2	SITE GRADING & DRAINAGE PLAN
7 OF 155	C2.3	SITE UTILITY PLAN
8 OF 155	C9.1	SITE DETAILS
9 OF 155	C9.2	SITE DETAILS
10 OF 155	C9.3	SITE DETAILS
11 OF 155	C3.4	ADDITIVE NO. A1
12 OF 155	L1.1	LANDSCAPE PLAN
13 OF 155	A1.1	MASTER FLOOR PLAN
14 OF 155	A1.2	DRY STORAGE FLOOR PLAN
15 OF 155	A1.3	DRY STORAGE DIMENSION PLAN
16 OF 155	A1.4	DRY STORAGE/ADMINISTRATION FLOOR PLAN
17 OF 155	A1.5	DRY STORAGE/ADMINISTRATION DIMENSION PLAN
18 OF 155	A1.6	SALES/CHECKOUT FLOOR PLAN
19 OF 155	A1.7	SALES/CHECKOUT DIMENSION PLAN
20 OF 155	A1.8	REFRIGERATED STORAGE FLOOR PLAN
21 OF 155	A1.9	REFRIGERATED STORAGE DIMENSION PLAN
22 OF 155	A1.10	½ MECHANICAL MEZZANINE FLOOR PLAN
23 OF 155	A1.11	½ REFRIGERATED STORAGE SOUTH FLOOR PLAN
24 OF 155	A1.12	½ REFRIGERATED STORAGE NORTH FLOOR PLAN
25 OF 155	A1.13	ARCHITECTURAL ABBREVS, SYMBOLS & MATERIALS
26 OF 155	A1.14	DOOR SCHEDULE
27 OF 155	A1.15	DOOR ELEVATIONS, FRAMES & WINDOWS
28 OF 155	A1.16	COLOR SCHEDULE & FINISH SCHEDULE
29 OF 155	A1.17	EQUIPMENT SCHEDULE
30 OF 155	A1.18	EQUIPMENT SCHEDULE
31 OF 155	A1.19	EQUIPMENT SCHEDULE
32 OF 155	A2.1	NORTH ELEVATION & BUILDING SECTION
33 OF 155	A2.2	EAST ELEVATION
34 OF 155	A2.3	SOUTH ELEVATION & BUILDING SECTION
35 OF 155	A2.4	WEST ELEVATION & BUILDING SECTION
36 OF 155	A3.1	BUILDING SECTIONS
37 OF 155	A3.2	BUILDING SECTIONS
38 OF 155	A4.1	WALL SECTIONS
39 OF 155	A4.2	WALL SECTIONS
40 OF 155	A4.3	WALL SECTIONS
41 OF 155	A4.4	WALL SECTIONS
42 OF 155	A4.5	WALL SECTIONS
43 OF 155	A4.6	WALL SECTIONS
44 OF 155	A4.7	WALL SECTIONS
45 OF 156	A4.8	WALL SECTIONS
46 OF 155	A4.9	WALL SECTIONS
47 OF 155	A5.1	ROOF PLAN
48 OF 155	A5.2	DRY STORAGE REFLECTED CEILING PLAN
49 OF 155	A5.3	DRY STORAGE/ADMIN. REFLECTED CLG. PLAN
50 OF 155	A5.4	SALES/CHECKOUT REFLECTED CLG. PLAN
51 OF 155	A5.5	REFRIGERATED STOR. REFLECTED CLG. PLAN
52 OF 155	A6.1	EXTERIOR DOOR DETAILS
53 OF 155	A6.2	EXTERIOR DETAILS
54 OF 155	A6.3	INTERIOR DETAILS
55 OF 155	A6.4	INTERIOR DOOR DETAILS
56 OF 155	A6.5	INTERIOR DOOR DETAILS
57 OF 155	A6.6	INTERIOR ELEVATIONS
58 OF 155	A6.7	¼" TOILET PLANS & ELEVATIONS
59 OF 156	A6.8	EXTERIOR DETAILS
60 OF 155	A6.9	EXTERIOR DETAILS
61 OF 155	A6.10	EXTERIOR DETAILS
62 OF 155	A6.11	EXTERIOR DETAILS
63 OF 155	A6.12	DETAILS
64 OF 155	A6.13	INTERIOR DETAILS
65 OF 155	A6.14	INTERIOR DETAILS
66 OF 155	A6.15	INTERIOR DETAILS
67 OF 155	A6.16	DETAILS
68 OF 155	A6.17	DETAILS
69 OF 155	A6.18	CAULKING & SEALANT DETAILS
70 OF 155	A7.1	INTERIOR GRAPHICS PLAN
71 OF 155	A7.2	INTERIOR DESIGN - BANNER DETAILS
72 OF 155	A7.3	INTERIOR DESIGN - BANNER DETAILS
73 OF 155	A7.4	INTERIOR DESIGN - BANNER DETAILS
74 OF 155	A7.5	INTERIOR DESIGN - BANNER DETAILS
76 OF 155	S1.1	FLOOR PLAN
76 OF 155	S1.2	FLG LOCATION PLAN
77 OF 155	S1.3	REINFORCING STRUCTURAL SLAB @ GRADE
78 OF 155	S1.4	REINFORCING STRUCTURAL SLAB @ GRADE
79 OF 155	S1.5	REINFORCING STRUCTURAL SLAB @ GRADE
80 OF 155	S1.6	REINFORCING STRUCTURAL SLAB @ GRADE
81 OF 155	S1.7	TILT-UP PANEL LAY-OUT PLAN
82 OF 155	S2.1	NOTES & TYPICAL DETAILS
83 OF 155	S2.2	FOUNDATION DETAILS
84 OF 155	S2.3	FOUNDATION DETAILS
85 OF 155	S2.4	FOUNDATION DETAILS
86 OF 155	S2.5	FOUNDATION DETAILS
87 OF 155	S2.6	DETAILS
88 OF 155	S3.1	LOW ROOF FRAMING PLAN
89 OF 155	S3.2	HIGH ROOF & CLERESTORY FRAMING PLANS
90 OF 155	S3.3	MEZZANINE, CEIL FRAMED FLR. FRAMING PLANS

CONSECUTIVE SHEET NO.	DISCIPLINE SHEET NO.	DRAWING TITLE
91 OF 155	S4.1	WALL & FRAME ELEVATION
92 OF 155	S4.2	WALL ELEVATIONS
93 OF 155	S4.3	STEEL DECK WELDING & DETAILS
94 OF 155	S4.4	DETAILS
95 OF 155	S4.5	DETAILS
96 OF 155	S4.6	DETAILS
97 OF 155	S4.7	DETAILS
98 OF 155	S4.8	DETAILS
99 OF 155	S4.9	DETAILS
100 OF 155	S4.10	DETAILS
101 OF 155	S5.1	TILT-UP PANEL ELEVATIONS
102 OF 155	S5.2	TILT-UP PANEL ELEVATIONS
103 OF 155	S5.3	TILT-UP PANEL ELEVATIONS
104 OF 155	S5.4	TILT-UP WALL DETAILS
105 OF 155	M1.1	DRY STORAGE - HVAC
106 OF 155	M1.2	DRY STORAGE/ADMINISTRATION - HVAC
107 OF 155	M1.3	SALES/CHECKOUT - HVAC
108 OF 155	M1.4	REFRIGERATED STORAGE - HVAC
109 OF 155	M1.5	½ MECHANICAL MEZZANINE - HVAC
110 OF 155	M2.1	DETAILS - HVAC
111 OF 155	M2.2	DETAILS - HVAC
112 OF 155	M2.3	SECTIONS & DETAILS - HVAC
113 OF 155	M2.4	SECTIONS & LEGEND - HVAC
114 OF 155	M2.5	SEISMIC DETAILS - HVAC
115 OF 155	M2.6	CONTROLS - HVAC
116 OF 155	M3.1	SCHEDULES - HVAC
117 OF 155	P1.1	DRY STORAGE - PLUMBING
118 OF 155	P1.2	DRY STORAGE/ADMINISTRATION - PLUMBING
119 OF 155	P1.3	SALES/CHECKOUT - PLUMBING
120 OF 155	P1.4	REFRIGERATED STORAGE - PLUMBING
121 OF 155	P2.1	DETAILS - PLUMBING
122 OF 155	P2.2	PLUMBING - RISERS
123 OF 155	R1.1	SALES/CHECKOUT - REFRIGERATION
124 OF 155	R1.2	REFRIGERATED STOR & MECH. MEZZ - REFRIGERATION
125 OF 155	R2.1	REFRIGERATION - SCHEMATIC
126 OF 155	R2.2	REFRIGERATION - DETAILS
127 OF 155	R2.3	REFRIGERATION - CONTROLS
128 OF 155	R3.1	REFRIGERATION - SCHEDULES
129 OF 155	FP1.1	FIRE PROTECTION PLAN
130 OF 156	FP2.1	FIRE PROTECTION DETAILS
131 OF 155	E1.1	ELECTRICAL SYMBOLS & LIGHT FIX. SCHEDULE
132 OF 155	E1.2	ELECTRICAL SINGLE LINE DIAGRAM
133 OF 155	E2.1	SALES/CHECKOUT - LIGHTING
134 OF 155	E2.2	SALES/CHECKOUT - POWER
135 OF 155	E2.3	DRY STORAGE/ADMINISTRATION - LIGHTING
136 OF 155	E2.4	DRY STORAGE/ADMINISTRATION - POWER
137 OF 155	E2.5	REFRIGERATED STORAGE & MEZZ. - LIGHTING
138 OF 155	E2.6	REFRIGERATED STORAGE & MEZZ. - POWER
139 OF 155	E2.7	DRY STORAGE - LIGHTING
140 OF 155	E2.8	DRY STORAGE - POWER
141 OF 155	E2.9	MEZZANINE - POWER
142 OF 155	E2.10	ROOF PLAN - POWER
143 OF 155	E2.11	REFRIGERATION - POWER
144 OF 155	E3.1	ELECTRICAL DETAILS
145 OF 155	E3.2	ELECTRICAL DETAILS
146 OF 155	E3.3	ELECTRICAL DETAILS
147 OF 155	E3.4	ELECTRICAL DETAILS
148 OF 155	E3.5	ELECTRICAL DETAILS
149 OF 155	E4.1	PANEL SCHEDULES
150 OF 155	E4.2	PANEL SCHEDULES
151 OF 155	B1.1	BORING LOG
152 OF 155	B1.2	BORING LOG
153 OF 155	B1.3	BORING LOG
154 OF 155	B1.4	BORING LOG
155 OF 155	B1.5	BORING LOG

REVISIONS	DATE	DESCRIPTION	BY	CK

CROMWELL, TRUMPER, LEVY, PARKER & WOODBRIDGE — ARCHITECTS/ENGINEERS
CHAPPELL OKOPNI, NOH AND ASSOCIATES — ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: C. Wright
DRAWN: D. Calaway
CHECKED: W. Miller

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

DRAWING INDEX, LOCATION & VICINITY MAP

SCALE: AS SHOWN
DRAWING NO. 7189
SHEET G1.2 2 OF 155
FILE NO. 192-29-500
DATE APPROVED: (illegible) 87

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

C1073

LEGEND (FOR SHEET C1.2 & C1.3)

EXISTING FEATURES	SITE SURVEY LEGEND PLAN
D.I. ☐ or ⊡	Drop Inlet
C.B. ☐	Catch Basin
M.H. ○	Manhole
W.V. ○	Water Valve
G.V. •	Gas Valve
——	Utility Pole
S.	Sign
6.7	Spot Elevation
—— G ——	Gas Line
—— W ——	Water Line
——SS——→	Sanitary Sewer Line & Direction
——SD——→	Storm Drain Line & Direction
——UE——	Underground Electric
——OE——	Overhead Electric & Telephone
——F——	Fuel Line
——OFA——	Overhead Fire Alarm
——OTV——	Overhead Television Cable
——UT——	Underground Telephone
—x—x—x—	Existing Fence
✳	Light Pole
F.F.	Finish Floor
G.R.	Ground
T.C.	Top of Curb
T.W.	Top of Wall
△	Horiz Vert Control
○	Brush
	Tree
(	Culvert Head
	Retaining Wall
G.T.R.	Gutter Lip
A.C.	Pavement
C	Concrete
G	Gutter Flowline
	Photo Center
	Guard Rail
	Water
	Dirt Road
	Paved Road
	Curb and Gutter

NOTE: UTILITY REMOVALS ARE SHOWN ON SHEET C2.2 & C2.3

SITE DEMOLITION PLAN LEGEND (FOR SHEET C1.2)

EXISTING FEATURES TO BE REMOVED	PLAN
	BUILDING FOUNDATION (UNLESS INDICATED AS COMPLETE BUILDING TO DEMOLISH)
	ASPHALT PAVEMENT
	CONCRETE PAVEMENT
	TREE
	CURB OR CURB & GUTTER
	FENCE
	ASPHALT PAVEMENT IN ADDITIVE NO. 1

LEGEND (FOR SHEETS C2.1, C2.2, C2.3, & C3.4)

NEW	EXISTING	PLAN	DETAIL REFERENCE
		ASPHALT PAVING SECTION FOR PARKING LOTS	8 C2.1 C3.1
		CONCRETE PAVING	13 C2.1 C3.1
		CONCRETE SIDEWALK	2 C2.1 C3.1
		THICKENED EDGE JOINT	10 C2.1 C3.1
		STRUCTURAL EXPANSION JOINT	C2.1 C3.1 15 C2.1 C3.1
		EXPANSION JOINT	9 C2.1 C3.1
		CONTRACTION JOINT (LONGITUDINAL)	14 C2.1 C3.1 16 C2.1 C3.1
		CONTRACTION JOINT (TRANSVERSE)	16 C2.1 C3.1
		CONSTRUCTION JOINT	5 C2.1 C3.1
		CURB AND GUTTER	1 C2.1 C3.1
		INTEGRAL CURB	6 C2.1 C3.1
		ASPHALT PAVING SECTION FOR TRUCK TRAFFIC	7 C2.1 C3.1
T	—7—	GRADE CONTOUR	
252.		FINISHED SPOT ELEVATION	
		BUILDING FEATURE	
	☒ OR ☒	EXISTING INLET OR MANHOLE TO BE REMOVED	
■C.I.	☐	CURB INLET	1 C2.2 C3.
■C.B.	☐	CATCH BASIN	3 C2.2 C3.3
●M.H.	○	MANHOLE	8 C2.2 C3.2
	—W—	EXISTING UTILITY TO BE REMOVED	
		FIRE HYDRANT	1 C2.3 C3.2
		GATE VALVE	2 C2.3 C3.2
W	W	UTILITY LINE (W=WATER; G=GAS; S.D.=STORM DRAIN; O.H.E.=OVERHEAD ELECTRIC; U.T.=UNDERGROUND TELEPHONE; F=LIQUID FUEL U.E.=UNDERGROUND ELECTRIC; S.S.=SANITARY SEWER; O.F.A.=OVERHEAD FIRE ALARM; O.T.V.=OVERHEAD TELEVISION CABLE)	
		POWER POLE	
		EXISTING FIRE HYDRANT TO BE REMOVED	
		EXISTING POWER POLE TO BE REMOVED	
G		UTILITY LINE BY OTHERS	
		GATE VALVE BY OTHERS	
		FIRE HYDRANT BY OTHERS	
CF/CI		FURNISH & INSTALL BY CONTRACTOR	
GF/GI		FURNISH & INSTALL BY GOVERNMENT	
NEW VALVE		NOTE CONCERNING CONSTRUCTION BY OTHERS	
R		REINFORCED ODD SHAPE SLAB-REINFORCE W/#4@ 18" O.C. EA. WAY	
		THRUST BLOCK FOR WATER LINE	4 C2.3 C3.2
		YARD HYDRANT (24")	10 C2.3 C3.3
		REDUCER (YARD HYDRANT PIPING)	

ABBREVIATIONS

EXIST.	EXISTING
T.C.	TOP OF CURB
INV.	INVERT
ELEV.	ELEVATION
M.H.	MANHOLE
C.B.	CATCH BASIN
C.I.	CURB INLET
F.H.	FIRE HYDRANT
L.F.	LINEAL FEET
@	AT
ϕ	DIAMETER
℄	CENTER LINE

REVISION	DATE	DESCRIPTION	BY	BY

CROSWELL, TRUEMPER, LEVY, PARKER & WOODWARD, ARCHITECT/ENGINEER
SHAFFER, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: S. MARTIN
DRAWN: M. BURGE
CHECKED: G. TOOMBS

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING
SITE PLAN LEGEND

SUBMITTED: E. Tom
DATE APPROVED: 6-11-77
SCALE: NO SCALE
SPEC. No. 7283
SHEET C1.1 3 OF 155
FILE No. 192-25-504

COPY FURNISHED FOR REVIEW AND COMMENT

FUNCTION ANALYSIS - VE PAYS



NOTES:
1. SEE C.2.2, C.2.3 & C.3.4 FOR UTILITY DEMOLITION
2. SEE C.1.1 FOR LEGEND PERTAINING TO THIS SHEET
3. ALL BUILDINGS SHOWN THIS SHEET, EXCEPT BLDG 609, ARE TO BE DEMOLISHED TO FOUNDATION BY OTHERS PRIOR TO START OF CONSTRUCTION. CONTRACTOR SHALL REMOVE FOUNDATIONS TO BUILDINGS SHOWN.

REVISION	DATE	DESCRIPTION	BY	CK

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: S. MARTIN
DRAWN: M. BURGE
CHECKED: G. TOOMBS
SUBMITTED: E. Levy
DATE APPROVED: 6-[illegible]

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

SITE SURVEY & DEMOLITION PLAN

SCALE: 1"=30' SPEC. No. 7283
SHEET C1.2 4 OF 155 FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

COPY
PLEASE CREDIT
NAT'L PARK SERVICE
CONRA-ARCHIVES

FUNCTION ANALYSIS - VE PAYS



BENCH MARK:

BRONZE DISK LOCATED AT THE NORTHEAST END OF CRISSY FIELD, 178.1 FEET NORTHWEST OF THE NORTH CORNER OF BUILDING 259, 16.0 FEET NORTHEAST OF THE CENTERLINE OF THE APPROACH TO THE WHARF AND 9.6 FEET SOUTHEAST OF WHERE THE WALL JOINS THE WHARF, ELEVATION 8.461 FEET, U.S. COAST AND GEODETIC SURVEY.

NOTES:

1. THE EXISTENCE AND LOCATION OF ANY UNDERGROUND UTILITY PIPELINES OR STRUCTURES SHOWN ON THESE PLANS HAVE BEEN OBTAINED BY A SEARCH OF THE AVAILABLE RECORDS AND IN SOME CASES BY FIELD SURVEY. APPROVAL OF THESE PLANS BY THE DESIGN ENGINEER DOES NOT CONSTITUTE A REPRESENTATION AS TO THE ACCURACY OR COMPLETENESS OF THE LOCATION OR EXISTENCE OR NON-EXISTENCE OF ANY UNDERGROUND UTILITIES OR STRUCTURES WITHIN THE LIMITS OF THIS PROJECT. THE CONTRACTOR IS REQUIRED TO TAKE ALL DUE PRECAUTIONARY MEANS TO PROTECT THE UTILITIES AND STRUCTURES NOT OF RECORD OR NOT SHOWN ON THESE PLANS, UNLESS OTHERWISE DIRECTED BY THE ENGINEER.
2. "INVERT" ELEVATIONS SHOWN FOR SELECTED STORM DRAIN AND SANITARY STRUCTURES ARE APPROXIMATE ONLY. BECAUSE OF THE PRESENCE OF WATER IN ALL STRUCTURES INVESTIGATED, A PROBE WAS USED TO ESTIMATE THE BOTTOM OF EACH STRUCTURE. KCA ENGINEERS ASSUMES NO RESPONSIBILITY FOR ELEVATIONS AT VARIANCE TO ACTUAL INVERTS, ELEVATIONS OF THE STRUCTURE BASE, OR NUMBER AND SIZE OF PIPES ENTERING OR EXITING THE STRUCTURES SHOWN ON THIS PLAN.

SITE SURVEY (SUPPLEMENTARY REFERENCE SHEET)

S. GRID SYSTEM SHOWN IS ARBITRARY

SURVEY FILE NO. 192-13-505

SURVEY PREPARED BY K.C.A. ENGINEERS, INC. OF SAN FRANCISCO, CALIFORNIA 12/12/84

1"=30' 15 0' 30' 60'

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: S. MARTIN
DRAWN: M. BURGE
CHECKED: G TOOMBS

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING
SITE SURVEY (SUPPLEMENTARY REFERENCE SHEET)

SUBMITTED: DATE APPROVED:

SCALE 1"=30' SPEC. No. 7283
SHEET C1.3 FILE No. 192-25-504
14 OF 155

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

COPY

FUNCTION ANALYSIS - VE PAYS



NOTES:

1. PAVEMENT STRIPING SHALL BE 4" WIDE, WHITE, NON-REFLECTIVE TRAFFIC PAINT ZONE STRIPING SHALL BE ON 2'-0" CENTERS AND AT 45° TO TRAFFIC AS SHOWN
2. DIMENSIONS TO CURBS ARE TO THE BACK OF CURB
3. SEE SHEET A11 FOR BUILDING LAYOUT
4. MINIMUM CURB RADIUS SHALL BE 2'-0"
5. SEE C11 FOR LEGEND PERTAINING TO THIS SHEET
6. SEE 11/A612 FOR SURCHARGE SIGN LOCATION OF SIGN SHALL BE BY THE CONTRACTING OFFICER.

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & BOODSHALL
ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: S MARTIN
DRAWN: M. BURGE
CHECKED: G. TOOMBS

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING
SITE LAYOUT PLAN

SUBMITTED: E. Levy
DATE APPROVED: 6-11-87
SCALE 1"=30'
SPEC. No. 7283
SHEET C2.1 5 OF 155
FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE



NEW CONCRETE WALK
MATCH CURB PROFILE
5.0" MIN.
1 CURB CHUTE DETAIL C2.2/C2.2 C3.4

NOTES:
1 MAXIMUM SLOPE SHALL BE 5:1
2 SEE C1.1 FOR LEGEND AND ABBREVIATIONS PERTAINING TO THIS SHEET
3 STORM DRAINS SHALL BE INSTALLED PER 2 C2.2/C3.3

DETAIL REFERENCE

CURB INLET (C I)	1 C2.2/C3.3
CATCH BASIN (C B)	2 C2.2/C3.3
MANHOLE (M H)	6 C2.2/C3.2

1 SITE CROSS SECTION - LOOKING NORTH C2.2/C3.4

EARTHWORK NOTE:

EXISTING GRADES SHOWN ARE FROM SURVEY. SINCE THE SURVEY WAS PERFORMED, APPROXIMATELY 3,000 CU. YD. OF STRUCTURAL QUALITY FILL HAS BEEN PLACED ON THE SITE FOR THE CONTRACTOR'S USE.

DEMOLITION NOTE:

STORM DRAINAGE DEMOLITION FOR BASE BID SHOWN THIS SHEET-SEE SHEET C2.3 &C3.4 FOR ADDITIONAL UTILITY DEMOLITION.

NORTH

SITE GRADING AND DRAINAGE PLAN - BASE BID

1"=30' 30' 15' 0' 30' 60'

REVISION	DATE	DESCRIPTION	BY	BY

CROWELL, TRUMPER, LEVY, PARKER & STEINHILL — ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: S. MARTIN
DRAWN: M. BURGE
CHECKED: G. TOOMBS
SUBMITTED: [signature]
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING
SITE GRADING AND DRAINAGE PLAN

SCALE 1"=30' SPEC. No. 7283
SHEET C 2.2 FILE No. 192-25-504
OF SHEETS

DRAWING REDUCED ONE HALF SIZE

COPY



NOTES:

1. CONTRACTOR SHALL LOCATE ALL EXISTING UTILITIES PRIOR TO EXCAVATING FOR NEW UTILITIES. ANY DAMAGE TO EXISTING UTILITIES, RECORDED OR UNRECORDED, SHALL BE REPAIRED AT CONTRACTORS EXPENSE.
2. UTILITY OUTAGES SHALL BE COORDINATED IN WRITING WITH THE CONTRACTING OFFICER A MIN. OF THREE (3) DAYS IN ADVANCE OF PROPOSED OUTAGE. UTILITY OUTAGES SHALL BE HELD TO A MAXIMUM OF FOUR (4) HOURS.
3. SEE MECHANICAL & ELECTRICAL FOR EXACT POINT OF ENTRY OF UTILITIES INTO BUILDING.
4. SEE C1.1 FOR LEGEND, DETAIL REFERENCES, & ABBREVIATIONS PERTAINING TO THIS SHEET
5. UNDERGROUND UTILITY LINES SHALL BE INSTALLED PER 6 & 7 C2.3 C3.3 C2.3 C3.3
6. ALL TEES, BENDS, & DEADENDS OF WATER LINES 4" & LARGER SHALL BE THURST BLOCKED PER DETAIL 6 C2.3 C3.2
7. ALL WATER VALVES SHALL BE INSTALLED WITH VALVE BOXES PER DETAIL 2 C2.3 C3.3. EXISTING VALVE BOXES SHALL BE ADJUSTED TO MATCH FINISHED GRADE
8. ELEVATIONS OF UTILITIES ARE GIVEN TO THE EXTENT OF INFORMATION AVAILABLE. WHERE ELEVATIONS ARE NOT GIVEN AT POINTS OF EXISTING UTILITIES CROSSINGS, SUCH ELEVATIONS SHALL BE DETERMINED BY THE CONTRACTOR AND REPORTED TO THE CONTRACTING OFFICER. WHEN UNKNOWN LINES ARE EXPOSED, THEIR LOCATION AND ELEVATION SHALL LIKEWISE BE REPORTED.

REVISION - DATE	DESCRIPTION	BY	BY

CROSWELL, TRUEBRIDGE, LEVY, PARKER & WOODBRIDGE ARCHITECTS-ENGINEERS
SHAFFER, OLIVIO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: S. MARTIN
DRAWN: M. BURGE
CHECKED: G. TOOMBS
SUBMITTED: E Levy
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

SITE UTILITY PLAN

SCALE: 1" = 30'
SPEC. No. 7283
SHEET: C2.3
7 OF 155
FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

COPY
FURNISHED IN THE INTEREST OF
NATIONAL DEFENSE

FUNCTION ANALYSIS - VE PAYS

CURB & GUTTER
NOTES:
1- SPACE CONTRACTION JOINTS @ 10 FT. AND AT RADIUS RETURNS. SPACE EXPANSION JOINTS EVERY 10TH. CONTRACTION JOINT.



1 CURB & GUTTER
C2.1 | C3.1 NO SCALE
C3.4



2 SIDEWALK DETAILS-TYPICAL
C2.1 | C3.1 NO SCALE



NOTE:
SYMBOL TO BE PAINTED WITH WHITE, NON-REFLECTIVE TRAFFIC PAINT

3 HANDICAPPED SYMBOL
C3.3 | C3.1 NO SCALE



4 ASPHALT PAVEMENT REPAIR FOR UTILITY TRENCHES
C2.2 | C3.1 C2.5 NO SCALE



5 CONSTRUCTION JOINTS (C.J.)
C2.1 | C3.1 h= 7" NO SCALE
C3.1



6 INTEGRAL CURB
C2.1 | C3.1 NO SCALE



7 ASPHALT PAVING SECTION FOR TRUCK TRAFFIC
C2.1 | C3.1 NO SCALE
C3.4
C3.1



8 ASPHALT PAVING SECTION FOR PARKING LOTS
C2.1 | C3.1 NO SCALE
C3.4
C3.1



9 EXPANSION JOINT AT STRUCTURE (S.E.J)
C2.1 | C3.1 NO SCALE





11 ASPHALT PAVEMENT JUNCTURE
C2.1 | C3.1 NO SCALE
C3.4



12 CURB & GUTTER AT EXISTING ASPHALT PAVEMENT DETAIL
C2.1 | C3.1 C3.4 NO SCALE



13 CONCRETE PAVING SECTION
C2.1 | C3.1 C3.1 NO SCALE





14 EXPANSION JOINTS (E.J.)
C2.1 | C3.1 h= 7" NO SCALE



15 THICKENED EDGE JOINT (T.E.J)
C2.1 | C3.1





16 CONTRACTION JOINTS (C.T.J.)
C2.1 | C3.1 h= 7" NO SCALE



17 TRAFFIC DIRECTIONAL ARROWS
C2.1 | C3.1 NO SCALE

NO SCALE

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, FARRER & WOODSMALL ARCHITECT-ENGINEER
SHAPIRO, OSBAG, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: S. MARTIN
DRAWN: M. BURGE
CHECKED: G. TOOMBS
SUBMITTED: E. Levy
DATE APPROVED: 6-1-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING
SITE DETAILS

SCALE: NO SCALE | SPEC No. 7283
SHEET: C3.1 OF 17 SHEETS | FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



1 C2.3 C3.2 WET BARREL FIRE HYDRANT DETAIL
TYPICAL FIRE HYDRANT SETTING
NO SCALE



2 C2.3 C3.2 TYPICAL VALVE BOX DETAILS
NO SCALE



3 C2.3 C3.2 GATE VALVE WITH INDICATOR POST
NO SCALE



MINIMUM BEARING AREAS IN DIRECTION OF THRUST IN SQUARE FEET

PIPE SIZE	TEES & DEADEND	90° ELBOW	45° ELBOW	22 1/2° ELBOW
4"	2.5	3.4	1.9	1.0
6"	5.7	7.6	4.3	2.2
8"	10.1	13.5	7.7	3.9

4 C2.3 C3.2 FP2.1 C3.2 TYPICAL THRUST BLOCK INSTALLATION
NO SCALE



PLAN



SECTION

NOTES:
1. OVERALL PIT DIMENSION TO BE AS REQUIRED FOR METER USED.
2. METER TO BE EQUAL TO TYPICAL METERS USED ON POST- VERIFY WITH CONTRACTING OFFICER.



METER BY-PASS



TOP PLAN



TOP SECTION

6 C2.3 C3.2 WATER METER AND BY-PASS DETAIL
NO SCALE



7 C2.3 C3.2 GAS METER DETAIL
NO SCALE



5 C2.3 C3.2 TAPPING SLEEVE & VALVE INSTALLATION DETAIL
NO SCALE



SECTION-TAPERED MANHOLE



SECTION "A-A"



FRAME



COVER

SECTIONS-MANHOLE COVER & FRAME

NOTE: APPROXIMATE COMBINED WEIGHT OF FRAME AND COVER SHALL BE 450 LBS. FOR TRAFFIC AREAS AND 300 LBS. FOR NON-TRAFFIC AREAS.

8 C2.2 C3.2 MANHOLE DETAILS
NO SCALE

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: S. MARTIN
DRAWN: M. BURGE
CHECKED: G. TOOMBS
SUBMITTED:

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING
SITE DETAILS

DATE APPROVED: 6-11-87
SCALE: NO SCALE
SPEC. No. 7283
SHEET C3.2 9 OF 165
FILE No. 192-25-504

NO SCALE

DRAWING REDUCED ONE HALF SIZE

SAFETY PAYS

COPY

FUNCTION ANALYSIS - VE PAYS



1 CURB INLET DETAILS
C2.2|C3.3 NO SCALE



TYPE "A" INLET

2 CATCH BASIN DETAILS (TYPE "A" INLET)
C2.2|C3.3 NO SCALE



TYPE "A" INLET GRATE & FRAME



3 "RESERVED PARKING", "EMPLOYEE PARKING ONLY," OR "STOP" SIGN POSTS
C2.1|C3.3 C3.3 C3.4 NO SCALE



4 HANDICAP PARKING BLOWUP
C2.1|C3.3 C2.2 C3.4 SCALE: 1/8"=1'-0"



9 TYPICAL CLEANOUT TO GRADE
C2.3|C3.3 NO SCALE



5 CONCRETE BOLLARD DETAIL
A1.4|C3.3 A1.6 A2.2 NO SCALE



10 YARD HYDRANT DETAIL
C2.3|C3.3



6 FLEXIBLE PIPE INSTALLATION DETAIL
C2.3|C3.3 NO SCALE

NOTES:
1. FLEXIBLE PIPE REFERS TO PVC PLASTIC, POLYETHYLENE, POLYBUTYLENE, FILAMENT-WOUND REINFORCED OR CENTRIFUGALLY CAST REINFORCED THERMOSETTING RESIN AND THERMOSETTING REINFORCED PLASTIC MORTAR PRESSURE PIPE.
2. EXCAVATION & BACKFILL FOR UTILITIES MAY REQUIRE SPECIAL CONSTRUCTION METHODS- THE WATER TABLE IS KNOWN TO BE APPROXIMATELY 3' BELOW EXISTING GRADE.



7 RIGID PIPE INSTALLATION DETAIL
C2.2|C3.3 C2.3 NO SCALE

NOTES:
1. RIGID PIPE REFERS TO GALVANIZED STEEL, COPPER TUBING, DUCTILE IRON, ASBESTOS CEMENT, BLACK STEEL, REINFORCED CONCRETE, GALVANIZED STEEL OR ALUMINUM, OR CAST IRON SOIL PIPE.
2. EXCAVATION & BACKFILL FOR UTILITIES MAY REQUIRE SPECIAL CONSTRUCTION METHODS- THE WATER TABLE IS KNOWN TO BE APPROXIMATELY 3' BELOW EXISTING GRADE.



NOTE: APPROVED STANDARD MANUFACTURED WHEEL STOP MAY BE USED.

8 WHEEL STOP DETAILS
C3.3|C3.3 NO SCALE

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL — ARCHITECT/ENGINEER
SHAPIRO, OSNOS, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: S. MARTIN	PRESIDIO OF SAN FRANCISCO CALIFORNIA
DRAWN: M. BURGE	COMMISSARY BUILDING
CHECKED: G. TOOMBS	SITE DETAILS
SUBMITTED: E. Sato	DATE APPROVED: 6-11-87
SCALE: AS SHOWN	SPEC No. 7283
SHEET C3.3	FILE No. 192-25-504

12'0 5' 10' 15' (1/8"=1'-0")

COPY
PROPERTY OF
NATIONAL ARCHIVES
& RECORDS...

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



ADDITIVE
NO. AI-PARTIAL SITE GRADING & DRAINAGE PLAN
SCALE: 1"= 30'



ADDITIVE
NO. AI-PARTIAL SITE LAYOUT PLAN
SCALE: 1"=30'

DEMOLITION NOTE:
STORM DRAINAGE DEMOLITION FOR ADDITIVE NO. AI SHOWN THIS SHEET- FOR ADDITIVE NO. AI DEMOLITION OTHER THAN STORM DRAINAGE SEE SHEET C1.2.

NOTES:
1. FOR LEGEND PERTAINING TO THIS SHEET SEE C1.1.
2. FOR NOTES PERTAINING TO THIS SHEET SEE C2.1 & C2.2.
3. FOR YARD HYDRANT PIPING INCLUDED IN ADDITIVE NO. AI SEE SHEET C2.3.



1 SITE CROSS SECTION-LOOKING NORTH
C2.2 | C3.4 C3.4 SCALE: VERTICAL 1"=2 HORIZONTAL 1"=30'



2 SITE CROSS SECTION-LOOKING WEST
C2.2 | C3.4 SCALE: VERTICAL 1"=2 HORIZONTAL 1"=30'

1"=30' 15' 0 30' 60'
1"=2'

CROMWELL, TREMPER, LEVY, PARKER & WOODSMALL ARCHITECT/ENGINEER SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS		DEPARTMENT OF THE ARMY SACRAMENTO DISTRICT, CORPS OF ENGINEERS SACRAMENTO, CALIFORNIA	
DESIGNED: S. MARTIN DRAWN: N. BERGE CHECKED: G. TOOMBS	PRESIDIO OF SAN FRANCISCO		CALIFORNIA
	COMMISSARY BUILDING ADDITIVE NO. AI PARTIAL SITE PLANS & SITE CROSS SECTIONS		
SUBMITTED: E. [illegible]	DATE APPROVED: 6-11-87	SCALE: AS SHOWN SPEC. NO. 7283 SHEET: C3.4 DRAWING: 192-25-504	FILE NO.

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

COPY
PRESIDIO
SAN FRANCISCO
CALIFORNIA

FUNCTION ANALYSIS - VE PAYS



PLANT LIST

BOTANICAL NAME / COMMON NAME	QUANTITY	SIZE
Pinus contorta Beach pine	22	15 gallon
Cupressus macrocarpa Monterey Cypress	9	15 gallon
Tristania conferta Brisbane Box	39	15 gallon
Myoporum laetum	27	15 gallon
Heteromeles arbutifolia Toyon	120	60 one gallon 60 five gallon
Myrica californica Pacific Wax Myrtle	120	60 one gallon 60 five gallon
Drosanthemum floribundum Iceplant rosea		Flats
Myoporum parvifolium		Flats



1 SHRUB PLANTING
NO SCALE



2 TREE PLANTING & STAKING
NO SCALE

REVISION	DATE	DESCRIPTION	BY	BY
A	12/7/86			

CROMBELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, DENG, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: B MEACH
DRAWN: B MEACH
CHECKED: W. Miller
SUBMITTED:
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING
LANDSCAPE PLAN

SCALE 1" = 20'-0" SPEC. No. 7263
SHEET L1.1 12 OF 195
FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



ROOM NO	ROOM NAME
1.	STORE MANAGER
2.	CASHIER'S OFFICE
3.	COUNTING ROOM
4.	BAGGER'S BREAK ROOM
5.	BAG STORAGE
6.	MEN'S TOILET (PATRON)
7.	WOMEN'S TOILET (PATRON)
8.	WAITING AREA
9.	DAIRY WALK-IN REFRIGERATOR
10.	FROZEN FOOD FREEZER
11.	FROZEN MEAT FREEZER
12.	LUNCHEON MEAT REFRIGERATOR
13.	POULTRY, REFRIGERATOR
14.	CART WASH
15.	TOILET
16.	STORAGE, MEAT PREPARATION
17.	MEAT MANAGER'S OFFICE
18.	MEAT CHILL REFRIGERATOR
19.	MEAT PREPARATION
20.	VET INSPECTION
21.	VET OFFICE
22.	DELI STORAGE
23.	WALK-IN REFRIGERATOR (DELI)
24.	DELI, PREPARATION
25.	DELI, SALES (ALCOVE)
26.	PRODUCE REFRIGERATION
27.	PRODUCE, PREPARATION ROOM
28.	POTATO/ONION STORAGE
29.	PRODUCE SUPPLY
30.	PRODUCE MANAGER'S OFFICE
31.	RECEIVING OFFICE
32.	BREAK ROOM
33.	MEAT AISLE
34.	WOMEN'S TOILETS AND LOCKER ROOM
35.	MEN'S TOILETS AND LOCKER ROOM
36.	PRODDUCE SALES
37.	SALVAGE
38.	CUTTING AND MARKING
39.	CHECK OUT
40.	CART STORAGE
41.	I.D.AREA
42.	JANITOR'S (A,B,C,D,E)
43.	ELECTRICAL ROOM
44.	SENSITIVE STORAGE
45.	DEPUTY COMMISSARY OFFICER
46.	COMMISSARY OFFICER
47.	SECRETARY/WAITING
48.	TOILET WOMEN'S
49.	TOILET MEN'S
50.	SALES SUPPORT ROOM
51.	COMPUTER ROOM
52.	CCTV ROOM
53.	STORAGE
54.	GENERAL ADMINISTRATION
55.	BREAK ROOM
56.	SALES ROOM
57.	DRY STORAGE
58.	MECHANICAL CHASE
59.	MATERIAL HANDLING EQUIPMENT STATION
60.	MEAT AND PRODUCE RECEIVING
61.	EXIT
62.	ENTRY
63.	EXIT
64.	CORRIDOR (A,B,C,D,E,F)
65.	MECH. MEZZ.
66.	STORAGE
67.	STORAGE
68.	VESTIBULE (A,B,C)
69.	VESTIBULE
70.	STORAGE
71.	TELEPHONE EQUIPMENT
72.	PIPE CHASE
73.	STORAGE
74.	PUMP ROOM
75.	STORAGE

REVISION	DATE	DESCRIPTION	BY	BY
△				
△				

CROWELL, THUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, OKNO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: E. Otwell
CHECKED: W. Thiller
SUBMITTED: E. Levy
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

MASTER FLOOR PLAN

SCALE: 1/16" =1'-0" SPEC No. 7283
SHEET A1.1 13 OF 155
FILE No. 192-25-504

ENVIRONMENTAL ENHANCEMENT THRU ENGINEERING

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



KEY TO FINISHES					
					HEIGHT
			SEE FLOOR PLAN FOR FINISHES		
A	EXPOSED	L	ACOUSTIC	V	VINYL COATED WALL COVERING
B	CONCRETE	M	WOOD		
C	VINYL COMP. TILE	N	PLYWOOD	W	WALL LINER PANEL
D	RESILIENT BASE	O	HARDBOARD		
E	GYPSUM BOARD	P	PLASTER, PORTLAND CEMENT	X	CMU
F	PLASTER,GYPSUM			Y	PREFAB COOLER FREEZER WALL
G	PLASTER,KEENE'S CEMENT	R	CARPET		
		S	SHEET VINYL	Z	FRP
H	CERAMIC TILE	T	TEXTURED COATING	AA	PAINTED BASE
J	QUARRY TILE			BB	CONC. ACID RES. SAND FINISH
K	STR.CLAY FAC.UNIT (SCFU)	U	STOREFRONT GLASS		

NOTES:
VAR = VARIES
- INDICATES NOT APPLICABLE

DRY STORAGE FLOOR PLAN

1/8" =1'-0"

GENERAL NOTES:
GP-1 - SEE DETAIL 1/A6.12
GP-2 - SEE DETAIL 5/A6.12
RPP - SEE DETAIL 4/A6.12
PG-1 - SEE DETAIL 6/A6.12
FD - SEE DETAIL 11/A6.3

1. REINFORCE FREE ENDS OF CONCRETE MASONRY UNIT WALLS. SEE S4.10
2. SEE 1/A1.16 FOR BREAKROOM 32 FLOOR TILE LAYOUT
3. WALLS & CEILING OF DRY STORAGE (57) ARE NOT PAINTED IN BASE BID. PAINTING OF WALLS & CEILING IS IN ADDITIVE NO. A2.
4. WALLS OF BREAK ROOM (32) ARE PAINTED IN BASE BID. VINYL COATED WALL COVERING IS IN ADDITIVE NO. A2.



SCALE: 1/8" =1'-0

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: E. Otwell
CHECKED: W. Miller
SUBMITTED: E. Levy
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

DRY STORAGE FLOOR PLAN

SCALE: 1/8" =1'-0" SPEC No. 7283
SHEET A1.2 14 OF 65
FILE No. 192-25-504

DRAWING REDUCED ONE HALF SIZE

SAFETY PAYS

FUNCTION ANALYSIS - VE PAYS



1 / A1.1 A1.3 DRY STORAGE DIMENSION PLAN
1/8" =1'-0"

PROJECT NORTH



KEY PLAN

SCALE: 1/8" =1'-0

REVISION	DATE	DESCRIPTION	BY	BY
△				
△				

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: E. Otwell
CHECKED: W. Miller
SUBMITTED: E. Levy
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

DRY STORAGE DIMENSON PLAN

SCALE: 1/8" =1'-0" | SPEC No. 7283
SHEET A1.3 15 OF 155 | FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



KEY TO FINISHES

				HEIGHT	
				SEE FLOOR PLAN FOR FINISHES	
A	EXPOSED	L	ACOUSTIC	V	VINYL COATED
B	CONCRETE	M	WOOD		WALL COVERING
C	VINYL COMP. TILE	N	PLYWOOD	W	WALL LINER
D	RESILIENT BASE	O	HARDBOARD		PANEL
E	GYPSUM BOARD	P	PLASTER,	X	CMU
F	PLASTER/GYPSUM		PORTLAND CEMENT	Y	PREFAB COOLER
G	PLASTER/KEENE'S CEMENT	R	CARPET		FREEZER WALL
		S	SHEET VINYL	Z	FRP
H	CERAMIC TILE	T	TEXTURED	AA	PAINTED BASE
J	QUARRY TILE		COATING	BB	CONC. ACID RES.
K	STR.CLAY FACLUNT (SCFU)	U	STOREFRONT GLASS		SAND FINISH

NOTES:
VAR = VARIES
- INDICATES NOT APPLICABLE

PAVING LEGEND

BP - BRICK PAVING
PF - PEBBLE FINISH CONCRETE
BF - BROOM FINISH CONCRETE

1. WALLS & CEILING OF DRY STORAGE (57) & CUTTING & MARKING (38) NOT PAINTED IN BASE BID. PAINTING OF WALLS & CEILING IS IN ADDITIVE NO. 2.
2. WALLS OF BREAK ROOM (55) ARE PAINTED IN BASE BID. VINYL COATED WALL COVERING IS IN ADDITIVE NO. 2.
3. WALLS OF WAITING AREA (8) ARE PAINTED IN BASE BID. VINYL COATED WALL COVERING IS IN ADDITIVE NO. 2.

PROJECT NORTH

1/A1.1 A1.4 DRY STORAGE/ADMINISTRATION FLOOR PLAN

1/8" = 1'-0"

GENERAL NOTES:

RPP - SEE DETAIL 4/A6.12
GP-1 - SEE DETAIL 1/A6.12
CG2 - SEE DETAIL 2/A6.12
PG-1 - SEE DETAIL 6/A6.12
RPP - SEE DETAIL 4/A6.12
FEC - SEE DETAIL 5/A6.13
GP-2 - SEE DETAIL 5/A6.12
FD - SEE DETAIL 11/A6.3

KEY PLAN

DESIGNED	O. Wright	DEPARTMENT OF THE ARMY SACRAMENTO DISTRICT, CORPS OF ENGINEERS SACRAMENTO, CALIFORNIA	
DRAWN	E. Etzell	PRESIDIO OF SAN FRANCISCO	CALIFORNIA
CHECKED	W. Miller	COMMISSARY BUILDING	
SUBMITTED	E. Etzell	DRY STORAGE/ADMINISTRATION FLOOR PLAN	
DATE APPROVED		SCALE 1/8" = 1'-0"	SPEC No. 7283
		SHEET A1.4 15 OF 55	FILE No. 192-25-504

DRAWING REDUCED ONE HALF SIZE

SAFETY PAYS

COPY
FOR
REFERENCE
ONLY

FUNCTION ANALYSIS - VE PAYS



1 / A1.1 A1.5 DRY STORAGE/ADMINISTRATION DIMENSION PLAN
1/8" = 1'-0"

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TREMPER, LEVY, PARKER & WOODSMALL, ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: E. Otwell
CHECKED: W. Miller
SUBMITTED: E. Perry
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

DRY STORAGE/ADMINISTRATION DIMENSON PLAN

SCALE 1/8" = 1'-0" | SPEC No. 7283
SHEET A1.5 11 OF 65 | FILE No. 192-25-504

ENVIRONMENTAL ENHANCEMENT THRU ENGINEERING

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



KEY TO FINISHES					
					SEE FLOOR PLAN FOR FINISHES
A	EXPOSED	L	ACOUSTIC	V	VINYL COATED WALL COVERING
B	CONCRETE	M	WOOD	W	WALL LINER PANEL
C	VINYL COMP. TILE	N	PLYWOOD	X	CMU
D	RESILIENT BASE	O	HARDBOARD	Y	PREFAB COOLER FREEZER WALL
E	GYPSUM BOARD	P	PLASTER, PORTLAND CEMENT	Z	FRP
F	PLASTER,GYPSUM	R	CARPET	AA	PAINTED BASE
G	PLASTER,KEENE'S CEMENT	S	SHEET VINYL	BB	CONC. ACID RES. SAND FINISH
H	CERAMIC TILE	T	TEXTURED COATING		
J	QUARRY TILE	U	STOREFRONT GLASS		
K	STR.CLAY FACJUNIT (SCFU)				

NOTES:
VAR = VARIES
- INDICATES NOT APPLICABLE

PAVING LEGEND
BP - BRICK PAVING
PF - PEBBLE FINISH CONCRETE
BF - BROOM FINISH CONCRETE

PROJECT NORTH

SALES/CHECKOUT FLOOR PLAN
1/8" =1'-0"

GENERAL NOTES:
GP-1 - SEE DETAIL 1/A6.12
GP-2 - SEE DETAIL 5/A6.12
GP-3 - SEE DETAIL 5/A6.12
CG-1 - SEE DETAIL 3/A6.12
CG-2 - SEE DETAIL 2/A6.12
GR-1 - SEE DETAIL 2/A6.16
GR-3 - SEE DETAIL 10/A6.3
FEC - SEE DETAIL 5/A6.13
BR - SEE DETAIL 10/A6.14

1. WALLS OF BAGGERS BREAK ROOM (4) ARE PAINTED IN BASE BID. VINYL COATED WALL COVERING IS IN ADDITIVE NO. A2.

KEY PLAN

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: E. Otwell
CHECKED: W. Miller
SUBMITTED: E. Levy
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

SALES/CHECKOUT FLOOR PLAN

SCALE: 1/8" =1'- 0" SPEC No. 7283
SHEET A1.6 18 OF 155
FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



ENVIRONMENTAL ENGINEERING STRUCTURAL ENGINEERING

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: E. Otwell
CHECKED: W. Miller

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

SALES SALES/CHECKOUT DIMENSION PLAN

SUBMITTED: E. Yuen
DATE APPROVED: 6-11-87
SHEET A1.7 OF 65
SCALE: 1/8" = 1'-0"
SPEC No. 7283
FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



KEY TO FINISHES			
			SEE FLOOR PLAN FOR FINISHES
A EXPOSED	L ACOUSTIC	V VINYL COATED	
B CONCRETE	M WOOD	WALL COVERING	
C VINYL COMP. TILE	N PLYWOOD	W WALL LINER	
D RESILIENT BASE	O HARDBOARD	PANEL	
E GYPSUM BOARD	P PLASTER, PORTLAND CEMENT	X CMU	
F PLASTER, GYPSUM CEMENT		Y PREFAB COOLER	
G PLASTER, KEENE'S CEMENT	R CARPET	FREEZER WALL	
	S SHEET VINYL	Z FRP	
H CERAMIC TILE	T TEXTURED COATING	AA PAINTED BASE	
J QUARRY TILE		BB CONC. ACID RES. SAND FINISH	
K STRIDLAY FACTUNT (SCFU)	U STOREFRONT GLASS		
- INDICATES NOT APPLICABLE			

NOTES:
VAR - VARIES



2 AI.8 AI.8 — UNDER FLOOR DRAIN SYSTEM AT FREEZERS
1/8" =1'-0"



1 AI.1 AI.8 — REFRIGERATED STORAGE FLOOR PLAN
1/8" =1'-0"

GENERAL NOTES:
GP-1 - SEE DETAIL 1/A6.12
GP-3 - SEE DETAIL 5/A6.12
CG-1 - SEE DETAIL 3/A6.12
CG-2 - SEE DETAIL 2/A6.12
GR-2 - SEE DETAIL 6/A6.3
FEC - SEE DETAIL 5/A6.13
GR-4 - SEE DETAIL 5 & 7/A6.17
PG-1 - SEE DETAIL 6/A6.12

NOTE "1"
12" Ø VENT PIPE FROM BELOW SLAB VENTING SYSTEM. STUB 12" INTO ATTIC SPACE & COVER END W/ 1/4" HARDWARE CLOTH.

12"0 5' 10' 15'
SCALE: 1/8" =1'-0

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: A. Wright
DRAWN: E. Otwell
CHECKED: W. Miller
SUBMITTED: E. Levy
DATE APPROVED: 4-1-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

REFRIGERATED STORAGE FLOOR PLAN

SCALE: 1/8" =1'-0" SPEC No. 7283
SHEET AI.8 20 OF 65
FILE No. 192-25-504

ENVIRONMENTAL ENHANCEMENT THRU ENGINEERING

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE



1 / A1.1 | A1.9 REFRIGERATED STORAGE DIMENSION PLAN

1/8" =1'-0"

SCALE: 1/8" =1'-0

PROJECT NORTH



KEY PLAN

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, DEMO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: E. Otwell
CHECKED: W. Trittler

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

REFRIGERATED STORAGE DIMENSON PLAN

SUBMITTED: E. Levy
DATE APPROVED: 6-11-87

SCALE: 1/8" =1'-0" | SPEC No. 7283
SHEET: A1.9 of 165 | FILE No. 192-25-504

ENVIRONMENTAL ENHANCEMENT ETHNO ENGINEERING

FUNCTION ANALYSIS - VE PAYS



KEY TO FINISHES					
					SEE FLOOR PLAN FOR FINISHES
A	EXPOSED	L	ACOUSTIC	V	VINYL COATED WALL COVERING
B	CONCRETE	M	WOOD		
C	VINYL COMP. TILE	N	PLYWOOD	W	WALL LINER PANEL
D	RESILIENT BASE	O	HARDBOARD		
E	GYPSUM BOARD	P	PLASTER.	X	CMU
F	PLASTER,GYPSUM		PORTLAND CEMENT	Y	PREFAB COOLER FREEZER WALL
G	PLASTER,KEENE'S CEMENT	R	CARPET		
		S	SHEET VINYL	Z	FRP
H	CERAMIC TILE	T	TEXTURED COATING	AA	PAINTED BASE
J	QUARRY TILE			BB	CONC. ACID RES. SAND FINISH
K	STR.CLAY FAC.UNIT (SCFU)	U	STOREFRONT GLASS		

NOTES:
VAR = VARIES
- INDICATES NOT APPLICABLE

1 MEZZANINE FLOOR PLAN

1/4" =1'-0"

GENERAL NOTES:
FD - SEE DETAIL 11/A6.3

PROJECT NORTH

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRIEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, DONO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: E. Otwell
CHECKED: W. Miller
SUBMITTED: E. Levy
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

MEZZANINE FLOOR PLAN

SCALE: 1/4" =1'-0" SPEC No. 7283
SHEET A1.10 22 OF 155
FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, OKING, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: E. Otwell
CHECKED: W. Miller
SUBMITTED: E. Levy
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

REFRIGERATED STORAGE SOUTH
DIMENSION PLAN

SCALE: 1/4" =1'-0" SPEC No. 7283
SHEET A1.11 23 OF 55
FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



REFRIGERATED STORAGE NORTH FLOOR PLAN

1/4" =1'-0"

REVISION	DATE	DESCRIPTION	BY

CROMWELL, TREMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPING, CHUNG, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: E. Otwell
CHECKED: W. Tilden
SUBMITTED: E. Levy

PRESIDIO OF SAN FRANCISCO — CALIFORNIA

COMMISSARY BUILDING

REFRIGERATED STORAGE NORTH FLOOR PLAN

DATE APPROVED: 6-11-87

SCALE: 1/4" =1'-0" | SPEC No. 7283

SHEET: A1.12 24 OF 55 | FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS

ARCHITECTURAL ABBREVIATIONS

AB	ANCHOR BOLT
ACOUST.	ACOUSTICAL
ADJ.	ADJUSTABLE
ADMIN.	ADMINISTRATION
A.F.F.	ABOVE FINISH FLOOR
AGGRE.	AGGREGATE
ALUM.	ALUMINUM
ASSY.	ASSEMBLY
BD	BOARD
BM	BEAM
BOT.	BOTTOM
BR	BRICK
BTWN.	BETWEEN
B.U.R.	BUILT UP ROOF
CAL.	CALIPER
CB	CHALKBOARD
℄	CENTERLINE
CJ	CONTROL JOINT
CLG	CEILING
C.M.U.	CONCRETE MASONRY UNIT
COL.	COLUMN
CONC.	CONCRETE
CONC. BLK	CONCRETE BLOCK
CONT.	CONTINUOUS
CT	CERAMIC TILE
DF	DRINKING FOUNTAIN
DIM.	DIMENSION
DR	DOOR
DTL	DETAIL
DWG	DRAWING
EA	EACH
EJ	EXPANSION JOINT
ELEC.	ELECTRICAL
ELEV.	ELEVATION
EQ	EQUAL
EQUIP.	EQUIPMENT
EW	EACH WAY
EXIST.	EXISTING
EXP.	EXPANSION
EXT.	EXTERIOR
FD	FLOOR DRAIN
FE	FIRE EXTINGUISHER
FEC	FIRE EXTINGUISHER CABINET
FHC	FIRE HOSE CABINET
FIN.	FINISH
FLR	FLOOR
FND.	FOUNDATION
FR	FRAME
FT	FEET
GA	GUAGE
GALV	GALVINIZED
GI	GALVINIZED IRON
GYP	GYPSUM
GYP. BD.	GYPSUM BOARD
H	HIGH
HC	HANDICAP
HC	HOLLOW CORE
HDW	HARDWARE
HEX.	HEXAGONAL
HM	HOLLOW METAL
HORIZ.	HORIZONTAL
HP	HORSEPOWER
HT	HEIGHT
INFO.	INFORMATION
INSUL.	INSULATION
INT.	INTERIOR
JT	JOINT
KCJ	KEYED CONTROL JOINT
LAV.	LAVATORY
LB.	POUND
LF	LINEAL FEET
LG	LONG
MATL.	MATERIAL
MAX.	MAXIMUM
MECH.	MECHANICAL
MEMB.	MEMBRANE
MEZZ.	MEZZANINE
MFR	MANUFACTURER
MGR	MANAGER
MISC.	MISCELLANEOUS
MO	MASONRY OPENING
MT	METAL THRESHOLD
MTL	METAL
N.I.C.	NOT IN CONTRACT
NO.	NUMBER
N.T.S.	NOT TO SCALE
OC	ON CENTER
OD	OUTSIDE DIAMETER
OFF.	OFFICE
OPNG.	OPENING
OPP.	OPPOSITE
OS	OVERFLOW SCUPPER
PC	PRECAST CONCRETE
P. LAM.	PLASTIC LAMINATE
PL	PLATE
PLYWD.	PLYWOOD
PNL	PANEL
PSF	POUNDS PER SQUARE FOOT
PSI	POUNDS PER SQUARE INCH
QTY	QUANTITY
R	RISER
R	RADIUS
RD	ROOF DRAIN
REFRIG.	REFRIGERATION
REINF.	REINFORCING
REQD.	REQUIRED
RM	ROOM
RO	ROUGH OPENING
SC	SOLID CORE
SCHED.	SCHEDULE
SECT.	SECTION
SHT.	SHEET
SIM.	SIMILAR
SPECS	SPECIFICATIONS
SS	STAINLESS STEEL
SST	STAINLESS STEEL THRESHOLD
STL	STEEL
STO.	STORAGE
STRUCT.	STRUCTURAL
SYM.	SYMBOL
T	TREAD
TB	TACKBOARD
THK	THICK
THRESH.	THRESHOLD
TJ	TOOLED JOINT
T.O.J.	TOP OF JOIST
TYP	TYPICAL
U.N.O.	UNLESS NOTED OTHERWISE
VCT.	VINYL COMPOSITION TILE
VERT.	VERTICAL
VEST.	VESTIBULE
W	WIDE
W/	WITH
WC	WATERCLOSET
WD	WOOD
WDW	WINDOW
W/O	WITHOUT
WP	WATERPROOFING
WT	WEIGHT
WWF	WELDED WIRE FABRIC
[	CHANNEL
∠	ANGLE
⌀	DIAMETER
□	SQUARE
#	NUMBER
#	POUND
@	AT
LB	ANGLE BRACE
BS	BOTH SIDES
BP	BASE PLATE
N.T.S.	NOT TO SCALE
H.P.	HIGH POINT
L.P.	LOW POINT
M.S.	METAL SHED
M.D.	METAL DECK
O.H.	OPPOSITE HAND
JNT	JOINT
M.S.	METAL STUD
JST	JOIST
T&B	TOP & BOTTOM
H&V	HORIZONTAL AND VERTICAL
EW	EACH WAY
U.N.O.	UNLESS NOTED OTHERWISE
T.O.S.	TOP OF STEEL
MTL	METAL
BLKG	BLOCKING
W.P.	WORK POINT
E	EXISTING
N	NEW
M	MALE
F	FEMALE
PG	PIPE GUARD
CG	CORNER GUARD
GR	GUARD RAIL @ SLIDING COOLER/FREEZER DOOR
SSC	STAINLESS STEEL CLOSURE
RPP	RACK POST PROTECTOR
FRP	FIBERGLASS REINFORCED PANEL
PROD	PRODUCE
JAN	JANITOR
O.F.	OUTSIDE FACE OF WAREHOUSE BLDG
H.P.	HIGH POINT ELEVATION
L.P.	LOW POINT ELEVATION
T.O.P.	TOP OF BEAM ELEVATION
B.O.B.	BOTTOM OF BEAM ELEVATION
T.O.S.	TOP OF SLAB ELEVATION
R.C.	REINFORCED CONCRETE
C.J.	CONSTRUCTION JOINT
M.S.	METAL STUD
P.F. JT.	PERIMETER FELT JOINT
O.H.	OPPOSITE HAND
F.G.	FINISHED GRADE
E.F.	EACH FACE
S.A.D.	SEE ARCHITECTURAL DETAIL
B.F.F.	BELOW FIN. FLR.
C.O.	CONTRACTING OFFICER
E.B.	EXPANSION BOLT
SF	SQUARE FEET

SECTION INDICATIONS

- EARTH
- CONCRETE
- GRAVEL
- STONE RIP RAP
- BRICK/STONE
- CONCRETE BLOCK (C.M.U.)
- CERAMIC OR STRUCTURAL GLAZED TILE
- ACOUSTICAL TILE
- WOOD, ROUGH CARPENTRY
- WOOD, FINISH CARPENTRY
- WOOD, BLOCKING
- PLYWOOD, SMALL SCALE
- METAL, LARGE SCALE
- GLASS, SMALL SCALE
- PLASTER OR STUCCO
- GYPSUM BOARD
- BATT INSULATION
- RIGID INSULATION
- REFRIGERATOR/FREEZER WALLS

EXPLANATION OF SYMBOLS

FINISH SCHEDULE



SEE FLOOR PLAN FOR FINISHES



DOOR SCHEDULE

WINDOW SCHEDULE

BUILDING/WALL SECTION SYMBOL



DETAIL SYMBOL



MATCH LINE

ROOM NUMBER SYMBOL

EQUIPMENT IDENTIFICATION

REVISION INDICATION



PLAN INDICATIONS

- PROPERTY LINE
- FENCE
- CONCRETE CURB
- SPOT ELEVATION (EXISTING) — 00.0
- SPOT ELEVATION (NEW) — 00.0
- EXISTING CONTOUR LINES — 100
- NEW CONTOUR LINES — 100
- DIMENSION TO FACE
- DIMENSION TO CENTERLINE
- METAL STUD PARTITION
- CONCRETE MASONRY UNIT PARTITION
- CONCRETE WALL
- REFRIGERATOR/FREEZER WALLS
- 2 HOUR FIRE WALL

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: E. Tuvell
CHECKED: W. Miller

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

ARCHITECTURAL ABBREVIATIONS, SYMBOLS, AND MATERIAL INDICATIONS

SUBMITTED: E. Berry
DATE APPROVED: 6-11-87
SCALE: NO SCALE
SPEC No. 7283
SHEET: A1.13 25 OF 65
FILE No. 192-25-504

ENVIRONMENTAL ENHANCEMENT THRU ENGINEERING

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS

DOOR SCHEDULE

DOOR NO.	DOOR TYPE	SIZE HEIGHT	SIZE WIDTH	SIZE THICK	MATERIAL	FINISH	RATING	FRAME MAT'L	FRAME HEAD	FRAME JAMB	FRAME SILL	H.W.	REMARKS
1	A	7'-6	5'-0	1⅞	ALG	ANOD AL	-	AL	4/A6.16	2/A6.2	5/A6.16	1	BI-PARTING AUTO-SLIDING (BREAKAWAY)
2	A	7'-6	5'-0	1⅞	ALG	ANOD AL	-	AL	SIM 4/A6.16	2/A6.2	5/A6.16	1	BI-PARTING AUTO-SLIDING (BREAKAWAY)
3	D	7'-0	3'-0	1¾	SCP	PLAS LAM	-	HM	5/A6.4	5/A6.4	5/A6.5	8	UNDERCUT 1"
4	D	7'-0	3'-0	1¾	SCP	PLAS LAM	-	HM	5/A6.4	5/A6.4	-	8	UNDERCUT 1"
5	D	7'-0	3'-0	1¾	SCP	PLAS LAM	-	HM	5/A6.4	5/A6.4	-	8	UNDERCUT 1"
6	D	7'-0	3'-0	1¾	SCP	PLAS LAM	-	HM	5/A6.4	5/A6.4	5/A6.5	8	UNDERCUT 1"
7	DD	7'-0	6'-0	1¾	METAL	PAINT	1½HR B LABEL	HM	SIM 10/A6.10	10/A6.10	-	9	HOLD OPEN DEVICE
8	DD	7'-0	6'-0	1¾	METAL	PAINT	1½HR B LABEL	HM	SIM 10/A6.10	10/A6.10	-	9	HOLD OPEN DEVICE
9	D	7'-0	3'-0	1¾	HM	PAINT	-	HM	13/A6.4	13/A6.4	5/A6.1 10/A6.5	4	PANIC DEVICE
10	D	7'-0	3'-0	1¾	SCP	PLAS LAM	-	HM	5/A6.4	5/A6.4	6/A6.5	12	8" X 36" LITE
11	C	7'-0	3'-6	1¾	SC	VARNISH	-	HM	5/A6.4	9/A6.4	-	15	DUTCH DOOR W/ 24" SQ TEMPERED GLASS LITE
12	F	7'-0	3'-6	1¾	SC	VARNISH	-	HM	5/A6.4	5/A6.4	-	12	24" X 36" TEMPERED GLASS LITE
13	D	7'-0	3'-0	1¾	SCP	PLAS LAM	-	HM	5/A6.4	5/A6.4	-	8	
14	DD	7'-0	6'-0	1¾	SCP	PLAS LAM	-	HM	4/A6.4	4/A6.4	-	16	
15	D	7'-0	3'-0	1¾	SCP	PLAS LAM	-	HM	5/A6.4	5/A6.4	-	11	
16	B	7'-0	3'-6	1¾	ALG	ANOD AL	-	AL	SIM 4/A6.16	4/A6.2	7/A6.16	1	AUTOMATIC OPENING
17	B	7'-0	3'-6	1¾	ALG	ANOD AL	-	AL	SIM 4/A6.16	4/A6.2	7/A6.16	1	AUTOMATIC OPENING
18	A	7'-6	5'-0	1⅞	ALG	ANOD AL	-	AL	SIM 4/A6.16	4/A6.2	5/A6.16	1	BI-PARTING AUTO-SLIDING (BREAKAWAY)
19	A	7'-6	5'-0	1⅞	ALG	ANOD AL	-	AL	SIM 4/A6.16	4/A6.2	5/A6.16	1	BI-PARTING AUTO-SLIDING (BREAKAWAY)
20	A	7'-6	5'-0	1⅞	ALG	ANOD AL	-	AL	SIM 4/A6.16	4/A6.2	5/A6.16	1	BI-PARTING AUTO-SLIDING (BREAKAWAY)
21	A	7'-6	5'-0	1⅞	ALG	ANOD AL	-	AL	SIM 4/A6.16	4/A6.2	5/A6.16	1	BI-PARTING AUTO-SLIDING (BREAKAWAY)
16A	B	7'-0	3'-6	1¾	ALG	ANOD AL	-	AL	SIM 4/A6.16	4/A6.2	7/A6.16	1	AUTOMATIC OPENING
17A	B	7'-0	3'-6	1¾	ALG	ANOD AL	-	AL	SIM 4/A6.16	4/A6.2	7/A6.16	1	AUTOMATIC OPENING
22	B	7'-0	3'-0	1¾	ALG	ANOD AL	-	AL	11/A6.4	10/A6.4	8/A6.5	1	PANIC DEVICE
23	B	7'-0	3'-0	1¾	ALG	ANOD AL	-	AL	11/A6.4	12/A6.4	8/A6.5	1	PANIC DEVICE
24	D	7'-0	3'-0	1¾	SC	VARNISH	-	HM	5/A6.4	5/A6.4	6/A6.5	10	
25	E	7'-0	3'-0	1¾	SC	VARNISH	-	HM	5/A6.4	5/A6.4	6/A6.5	10	8" X 36" LITE
26	F	7'-0	3'-0	1¾	SC	VARNISH	-	HM	SIM 5/A6.4	SIM 5/A6.4	-	22	24" X 36" LITE
27	D	7'-0	3'-0	1¾	SC	VARNISH	-	HM	5/A6.4	5/A6.4	9/A6.5	11	
27A	D	7'-0	3'-0	1¾	HM	PAINT	-	HM	SIM 5/A6.4	SIM 5/A6.4	-	14	GASKET-AIR SEAL
28	F	7'-0	3'-0	1¾	SC	VARNISH	-	HM	5/A6.4	5/A6.4	6/A6.5	12	24" X 36" LITE
28A	D	7'-0	3'-0	1¾	SC	VARNISH	-	HM	SIM 8/A6.4	SIM 8/A6.4	-	14	GASKET - AIR SEAL
29	D	7'-0	3'-0	1¾	SC	VARNISH	-	HM	5/A6.4	5/A6.4	9/A6.5	11	UNDERCUT 1"
30	D	7'-0	3'-0	1¾	SC	VARNISH	-	HM	5/A6.4	5/A6.4	5/A6.5	8	UNDERCUT 1"
31	D	7'-0	3'-0	1¾	SC	VARNISH	-	HM	5/A6.4	5/A6.4	5/A6.5	8	UNDERCUT 1"
32	D	7'-0	3'-0	1¾	SC	VARNISH	-	HM	5/A6.4	5/A6.4	-	12	
33	D	7'-0	3'-0	1¾	SC	VARNISH	-	HM	5/A6.4	5/A6.4	6/A6.5	11	
34	D	7'-0	3'-0	1¾	SC	VARNISH	-	HM	5/A6.4	5/A6.4	-	10	8" X 36" LITE
35	D	7'-0	3'-0	1¾	SC	VARNISH	-	HM	5/A6.4	5/A6.4	-	11	
36	F	7'-0	3'-0	1¾	SC	VARNISH	-	HM	5/A6.4	5/A6.4	-	8	24" X 36" LITE
37	D	7'-0	3'-0	1¾	HM	PAINT	1½HR B LABEL	HM	7/A6.4	7/A6.4	9/A6.5	17	
38	D	7'-0	3'-0	1¾	HM	PAINT	1½HR B LABEL	HM	7/A6.4	7/A6.4	-	18	
39	GG	7'-0	6'-0	1½	GFC	-	-	S	2/A6.4	3/A6.4	7/A6.5	3	BUMPER DOORS 9" X 14" LITES
40	GG	7'-0	6'-0	1½	GFC	-	-	S	2/A6.4	3/A6.4	-	3	BUMPER DOORS 9" X 14" LITES
41	D	7'-0	3'-0	1¾	HM	PAINT	1½HR B LABEL	HM	7/A6.4	7/A6.4	-	18	
42	SEE REMARKS											19	EXISTING DOOR TO REMAIN
43	SEE REMARKS											19	EXISTING DOOR TO REMAIN
44	EE	7'-0	6'-0	1¾	HM	PAINT	-	HM	SIM 7/A6.4	SIM 7/A6.4	10/A6.5	6	8" X 36" LITES/PANIC DEVICE W/ASTRAGAL & COORDINATOR
45	P	10'-0	6'-0	-	METAL	PAINT	-	S	-	-	-	2	SECURITY FENCE GATE
46	P	10'-0	6'-0	-	METAL	PAINT	-	S	-	-	-	2	
47	P	10'-0	6'-0	-	METAL	PAINT	-	S	-	-	-	2	SECURITY FENCE GATE
48	GG	7'-0	6'-0	1½	GFC	-	-	S	2/A6.4	3/A6.4	7/A6.5	3	BUMPER DOORS 9" X 14" LITES
49	GG	7'-0	6'-0	1½	GFC	-	-	S	2/A6.4	3/A6.4	-	3	BUMPER DOORS 9" X 14" LITES
50	P	8'-0	6'-0	-	METAL	PAINT	-	S	15/A6.3	-	-	2	SECURITY FENCE GATE
51	D	7'-0	3'-0	1¾	HM	PAINT	-	HM	7/A6.4	7/A6.4	-	8	UNDERCUT 1"
52	D	7'-0	3'-0	1¾	HM	PAINT	-	HM	7/A6.4	7/A6.4	5/A6.5	8	UNDERCUT 1"
53	D	7'-0	3'-0	1¾	HM	PAINT	-	HM	7/A6.4	7/A6.4	-	8	UNDERCUT 1"
54	F	7'-0	3'-0	1¾	HM	PAINT	-	HM	7/A6.4	7/A6.4	7/A6.5	8	24" X 36" LITE
55	D	7'-8	3'-0	1¾	HM	PAINT	-	HM	7/A6.4	7/A6.4	7/A6.5	10	
56	D	7'-0	3'-0	1¾	HM	PAINT	-	HM	7/A6.4	7/A6.4	-	11	UNDERCUT 1"
57	E	7'-0	3'-0	1¾	HM	PAINT	-	HM	4/A6.1	4/A6.1	5/A6.1	5	8" X 36" LITE
58	L/M	9'-0	8'-0	-	INST	PAINT	-	S	1/A6.1	2/A6.1	3/A6.1	2	ELECTRIC OPERATED OVHD DOOR W/VENT DOOR
59	L/M	9'-0	8'-0	-	INST	PAINT	-	S	1/A6.1	2/A6.1	3/A6.1	2	ELECTRIC OPERATED OVHD DOOR W/VENT DOOR
60	L/M	9'-0	8'-0	-	INST	PAINT	-	S	1/A6.1	2/A6.1	3/A6.1	2	ELECTRIC OPERATED OVHD DOOR W/VENT DOOR

DOOR SCHEDULE

DOOR NO.	DOOR TYPE	SIZE HEIGHT	SIZE WIDTH	SIZE THICK	MATERIAL	FINISH	RATING	FRAME MAT'L	FRAME HEAD	FRAME JAMB	FRAME SILL	H.W.	REMARKS
NOT USED													
61A	D	7'-0	4'-0	1¾	HM	PAINT	-	HM	4/A6.1	4/A6.1	5/A6.1	21	
62	GG	7'-0	6'-0	1½	GFC	-	-	S	2/A6.4	3/A6.4	11A6.5	3	BUMPER DOORS 9" X 14" LITES
63	H	7'-0	5'-0	4"	MC	-	-	S	7/A6.5	2/A6.5	SIM. 4/A6.3	3	SLIDING COOLER DOOR
63A	GG	7'-0	5'-0	1½	GFC	-	-	S	7/A6.5	2/A6.5	SIM. 4/A6.3	3	BUMPER DOORS 9" X 14" LITES
64	H	7'-0	5'-0	4"	MC	-	-	S	7/A6.5	2/A6.5	SIM. 4/A6.3	3	SLIDING COOLER DOOR
65	GG	7'-0	5'-0	1½	GFC	-	-	S	7/A6.5	2/A6.5	SIM. 4/A6.3	3	BUMPER DOORS 9" X 14" LITES
66	H	7'-0	5'-0	4"	MC	-	-	S	7/A6.5	2/A6.5	SIM. 4/A6.3	3	SLIDING COOLER DOOR
66A	GG	7'-0	5'-0	1½	GFC	-	-	S	7/A6.5	2/A6.5	SIM. 4/A6.3	3	BUMPER DOORS 9" X 14" LITES
67	H	7'-0	5'-0	4"	MC	-	-	S	7/A6.5	2/A6.5	8/A6.3	3	DEFROST HEATING CABLE SLIDING FREEZER DOOR
68	GG	7'-0	5'-0	1½	GFC	-	-	S	7/A6.5	2/A6.5	8/A6.3	3	BUMPER DOORS 9" X 14" LITES
69	H	7'-0	5'-0	4"	MC	-	-	S	7/A6.5	2/A6.5	4/A6.3 8/A6.3	3	DEFROST HEATING CABLE SLIDING FREEZER DOOR
70	GG	7'-0	5'-0	1½	GFC	-	-	S	7/A6.5	2/A6.5	4/A6.3 8/A6.3	3	BUMPER DOORS 9" X 14" LITES
71	EE	7'-0	6'-0	1¾	HM	PAINT	-	HM	4/A6.1	4/A6.1	5/A6.1	6	8" X 36" LITES/PANIC DEVICE W/ASTRAGAL & COORDINATOR
NOT USED													
73	D	7'-0	3'-0	1¾	HM	PAINT	-	HM	7/A6.4	7/A6.4	-	11	UNDERCUT 1"
74	D	7'-0	3'-0	1¾	HM	PAINT	-	HM	7/A6.4	7/A6.4	11A6.5	20	UNDERCUT 1"
75	D	7'-0	3'-0	1¾	HM	PAINT	-	HM	7/A6.4	7/A6.4	5/A6.5	13	
76	GG	7'-0	6'-0	1½	GFC	-	-	S	3/A6.5	4/A6.5	SIM. 11/A6.5	3	BUMPER DOORS 9" X 14" LITES
77	D	7'-0	3'-0	1¾	HM	PAINT	-	S	14/A6.4	14/A6.4	11/A6.5	11	
78	F	7'-0	3'-0	1¾	HM	PAINT	-	S	14/A6.4	14/A6.4	-	10	DBL GLAZED 24" X 36" LITE IN INSULATED DOOR 14" HEAD SECTION
79	D	7'-0	3'-0	1¾	HM	PAINT	-	HM	7/A6.4	7/A6.4	11/A6.5	14	GASKET-AIR SEAL
80	G	7'-0	3'-0	1½	GFC	-	-	S	2/A6.4	3/A6.4	SIM. 11/A6.5	3	BUMPER DOORS 9" X 14" LITES
81	G	7'-0	3'-0	1½	GFC	-	-	S	2/A6.4	3/A6.4	SIM. 11/A6.5	3	BUMPER DOORS 9" X 14" LITES
82	H	7'-0	5'-0	4"	MC	-	-	S	7/A6.5	SIM. 2/A6.5	4/A6.3 8/A6.3	3	DEFROST HEATING CABLE SLIDING COOLER DOOR
82A	GG	7'-0	5'-0	1½	GFC	-	-	S	7/A6.5	SIM. 2/A6.5	4/A6.3 8/A6.3	3	BUMPER DOORS 9" X 14" LITES
83	J	7'-0	5'-0	4"	MC	-	-	S	7/A6.5	SIM. 2/A6.5	4/A6.3 8/A6.3	3	SLIDING COOLER DOOR W/MEAT RAIL-DEFROST HEAT CABLE
83A	GG	7'-0	5'-0	1½	GFC	-	-	S	7/A6.5	SIM. 2/A6.5	4/A6.3 8/A6.3	3	BUMPER DOORS 9" X 14" LITES
84	L/M	9'-0	8'-0	-	INST	PAINT	-	S	1/A6.1	2/A6.1	3/A6.1	2	ELECTRIC OPERATED W/VENT DOOR
NOT USED													
86	L/M	9'-0	8'-0	-	INST	PAINT	-	S	1/A6.1	2/A6.1	3/A6.1	2	ELECTRIC OPERATED W/VENT DOOR
NOT USED													
88	L/M	9'-0	8'-0	-	INST	PAINT	-	S	1/A6.1	2/A6.1	3/A6.1	2	ELECTRIC OPERATED W/VENT DOOR
NOT USED													
90	H	7'-0	5'-0	4"	MC	-	-	S	1/A6.5	2/A6.5	8/A6.3	3	SLIDING COOLER DOOR
91	GG	7'-0	5'-0	1½	GFC	-	-	S	7/A6.5	2/A6.5	8/A6.3	3	BUMPER DOORS 9" X 14" LITES
NOT USED													
93	EE	7'-0	5'-4	1¾	HM	PAINT	-	HM	7/A6.4	7/A6.4	11/A6.5	16	8" X 36" LITES
94	DD	7'-0	5'-0	1¾	HM	PAINT	-	HM	7/A6.4	7/A6.4	-	16	
95	F	7'-0	3'-0	1¾	HM	PAINT	-	HM	7/A6.4	7/A6.4	9/A6.5	10	24" X 36" LITE
96	GG	7'-0	5'-0	1½	GFC	-	-	S	2/A6.4	3/A6.4	11/A6.5	3	BUMPER DOORS 9" X 14" LITES
97	E	7'-0	3'-0	1¾	PAINT	PAINT	-	HM	SIM. 14/A6.4	SIM. 14/A6.4	-	12	8" X 36" LITE/INSUL. DOOR
98	D	7'-0	3'-0	1¾	HM	PAINT	-	HM	7/A6.4	7/A6.4	11/A6.5	11	
99	K	7'-0	3'-6	4"	MC	-	-	S	3/A6.5	4/A6.5	4/A6.3	3	SWINGING COOLER DOOR
100	E	7'-0	3'-0	1¾	HM	PAINT	-	HM	7/A6.4	7/A6.4	-	12	8" X 36" LITES
101	D	7'-0	3'-0	1¾	HM	PAINT	-	HM	15/A6.4	15/A6.4	11/A6.5	11	
102	GG	7'-0	5'-0	1½	GFC	-	-	S	2/A6.4	3/A6.4	7/A6.5	3	BUMPER DOORS 9" X 14" LITES
103	F	7'-0	3'-0	1¾	HM	PAINT	-	S	15/A6.4	15/A6.4	9/A6.5	10	DBL GLAZED 24" X 36" LITE IN INSULATED DOOR
104	D	7'-0	3'-0	1¾	HM	PAINT	-	S	15/A6.4	15/A6.4	11/A6.5	11	INSULATED DOOR
105	H	7'-0	4'-8	4"	MC	-	-	S	1/A6.5	SIM. 2/A6.5	4/A6.3	3	SLIDING COOLER DOOR
105A	D	7'-0	3'-0	1¾	HM	PAINT	-	S	SIM. 14/A6.4	SIM. 14/A6.4	11/A6.5	11	INSULATED DOOR
106	GG	7'-0	5'-0	1½	GFC	-	-	S	7/A6.5	SIM. 2/A6.5	SIM. 4/A6.3	3	BUMPER DOORS 9" X 14" LITES
107	H	7'-0	5'-0	4"	MC	-	-	S	7/A6.5	SIM. 2/A6.5	SIM. 4/A6.3	3	SLIDING COOLER DOOR
108	GG	7'-0	5'-0	1½	GFC	-	-	S	7/A6.5	2/A6.5	4/A6.3	3	BUMPER DOORS 9" X 14" LITES
109	H	7'-0	5'-0	4"	MC	-	-	S	7/A6.5	2/A6.5	4/A6.3	3	SLIDING COOLER DOOR
110	E	7'-0	3'-0	1¾	HM	PAINT	-	HM	4/A6.1	4/A6.1	5/A6.1 11/A6.5	5	8" X 36" LITE/PANIC DEVICE
110A	L/M	8'-0	6'-0	-	INST	PAINT	-	S	1/A6.1	2/A6.1	3/A6.1	2	ELECTRIC OPERATED W/VENT DOOR
111	GG	7'-0	6'-0	1½	GFC	-	-	S	2/A6.4	3/A6.4	-	3	BUMPER DOORS 9" X 14" LITES
112	DD	7'-0	6'-0	1¾	HM	PAINT	1½HR B LABEL	HM	SIM. 4/A6.10	4/A6.10	-	9	HOLD OPEN DEVICE
76A	GG	7'-0	6'-0	1½	GFC	-	-	S	3/A6.5	4/A6.5	SIM. 11/A6.5	3	BUMPER DOORS 9" X14" LITES
113	D	7'-0	3'-0	1¾	HM	PAINT	-	HM	8/A6.4	8/A6.4	10/A6.5	5	MEZZANINE TO EXTERIOR
114	R	7'-0	6'-0	1¾	HM	PAINT	-	HM	8/A6.4	8/A6.4	10/A6.5	7	MEZZANINE TO EXTERIOR
115	DD	6'-0 VERIFY	6'-0	1¾	HM	PAINT	-	HM	SIM. 16/A6.4	16/A6.4	7/A6.1	7	MEZZANINE TO ROOF

ABBREVIATIONS

SC	SOLID CORE WOOD
SCP	SOLID CORE WOOD W/PLASTIC LAMINATE
HM	HOLLOW METAL
ALG	ALUMINUM & GLASS
AL	ALUMINUM
MC	METAL CLAD
INST	INSULATED STEEL
GFC	GASKETED FOAM CORE
S	STEEL
ANOD	ANODIZED

ENVIRONMENTAL ENHANCEMENT THROUGH ENGINEERING

REVISION	DATE	DESCRIPTION	BY	BY
△				
△				

CROMWELL, TREMPER, LEVY, PARKER & WOODSMALL, ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: A. Wright
DRAWN: E. Otenell
CHECKED: W. Miller

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

DOOR SCHEDULE

SUBMITTED: E. Levy
DATE APPROVED: 6-11-87
SCALE: NO SCALE
SPEC No. 7283
SHEET: A1.14 26 OF 65
FILE No.: 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

COPY NOT FOR PUBLICATION

FUNCTION ANALYSIS - VE PAYS



DOOR TYPES

REVISION	DATE	DESCRIPTION	BY	BY
△				
△				

CROWNELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, OSNO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: E. Otwell
CHECKED: W. Miller
SUBMITTED: E. Levy
DATE APPROVED: [illegible]

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

DOOR ELEVATIONS, DOOR AND WINDOW FRAMES

SCALE: NO SCALE | SPEC No. 7283
SHEET A1.15 27 OF 65 | FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

COPY
PLEASE CREDIT
NATIONAL SERVICE
CONTRA-ARCHIVES

FUNCTION ANALYSIS - VE PAYS

INTERIOR COLOR SCHEDULE

COLOR CODE	FLOOR	BASE	WAINSCOT	WALLS	CEILING	DOORS
1	CERAMIC TILE DOVE GRAY 2" X 2" UNGLAZED AMERICAN OLEAN	CERAMIC TILE TO MATCH FLOOR	NONE	CERAMIC TILE DOVE GRAY 2" X 2" UNGLAZED AMERICAN OLEAN	EPOXY ENAMEL PAINT FED. STD. 37875	WOOD NATURAL SATIN FINISH
2	SEALED CONCRETE WITH APPLIED FINISH	SEALED CONCRETE	NONE	FIBERGLASS REINFORCED PANELS	FIBERGLASS REINFORCED PANELS	METAL PAINT TO MATCH WALLS
3	VINYL COMPOSITION D-II ZINC WHITE DN-21 PLATINUM DN-59 MAUVE 12" X 12" AMTICO	VINYL BASE 14118 GRAY ARMSTRONG	NONE	WALL LINER PANEL 100 EGGSHELL ACROVYN	ACOUSTIC TILE PAINTED GYP. BD. FED. STD. 37886	ALUMINUM & PLASTIC LAM. ON WOOD
4	VINYL COMPOSITION DN-21 PLATINUM 12" X 12" AMTICO	VINYL BASE 14118 GRAY ARMSTRONG	NONE	PAINTED WALLS FED. STD. 37722	ACOUSTIC TILE	METAL PAINT TO MATCH WALLS
5	VINYL COMPOSITION DN-21 PLATINUM 12" X 12" AMTICO	VINYL BASE 14118 GRAY ARMSTRONG	NONE	VINYL WALL COVERING SAND CASTLE COLOR: OYSTER WHITE #2-53-24 GENON WALLCOVERING CO. (ADDITIVE NO. 2)	ACOUSTIC TILE	PLASTIC LAMINATE ON WOOD
6	QUARRY TILE NO. 006 FAWN GRAY 12" X 12" AMERICAN OLEAN	TILE BASE TO MATCH FLOOR	NONE	CERAMIC TILE 365 CRYSTALLINE WHITE AMERICAN OLEAN	EPOXY ENAMEL PAINT FED. STD. 37886	METAL
7	CARPET ILLUSIONS 411-0701 STAGE LIGHTS BENTLEY MILLS	VINYL BASE 14117 MAUVE ARMSTRONG	NONE	PAINTED GYP.BD. FED. STD. 37150	ACOUSTIC TILE	PLASTIC LAMINATE ON WOOD
8	CARPET 501 INDIAN MAIZE CONTEMPO SERIES COMPU-CARPET UNITED TECHNICAL PRODUCTS, INC.	VINYL BASE 14118 GRAY ARMSTRONG	NONE	ACOUSTICAL WALL PANEL ROSE ARMSTRONG	ACOUSTIC TILE	WOOD NATURAL SATIN FINISH
9	VINYL COMPOSITION DN-II ZINC WHITE DN-21 PLATINUM AMTICO	VINYL BASE 14118 GRAY ARMSTRONG	NONE	VINYL WALL COVERING SAND CASTLE COLOR: OYSTER WHITE #2-53-24 GENON WALLCOVERING CO. (ADDITIVE NO. 2)	ACOUSTIC TILE	WOOD
10	SEALED CONCRETE	NONE	NONE	PAINTED CONC.BLK. FED. STD. 37722	EXPOSED STRUCTURAL STEEL	METAL PAINT TO MATCH WALLS
11	SEALED CONCRETE	NONE	NONE	PAINTED CONC.BLK. FED. STD. 37722	PAINTED GYP.BD. FED. STD. 37886	METAL PAINT TO MATCH WALLS
12	SEALED CONCRETE	VINYL BASE 14118 GRAY ARMSTRONG	NONE	PAINTED GYP.BD. FED. STD. 37722	PAINTED GYP. BD. FED. STD. 37886	METAL PAINT TO MATCH WALLS
13	SEALED CONCRETE	PAINTED FED. STD. 36293 (ADDITIVE NO. 2)	NONE	PAINTED WALLS FED. STD. 37722 (ADDITIVE NO. 2)	PAINTED EXPOSED STRUCTURAL STEEL FED. STD. 37686 (ADDITIVE NO. 2)	METAL PAINT TO MATCH WALLS
14	SEALED CONCRETE	NONE	NONE	PAINTED CONC.BLK. FED. STD. 37722	ACOUSTIC TILE	METAL PAINT TO MATCH WALLS
15	VINYL COMPOSITION DN-21 PLATINUM 12" X 12" AMTICO	VINYL BASE 14118 GRAY ARMSTRONG	NONE	PAINTED GYP. BD. FED. STD. 37722	ACOUSTIC TILE	WOOD
16	CARPET ILLUSIONS 411-0701 STAGE LIGHTS BENTLEY MILLS	VINYL BASE 14117 MAUVE ARMSTRONG	NONE	PAINTED GYP. BD. FED. STD. 37722 STORE FRONT GLASS	ACOUSTIC TILE	WOOD
17	QUARRY TILE Q06 FAWN GRAY 12" X 12" AMERICAN OLEAN	TILE BASE TO MATCH WALL	NONE	COOLER WALLS	COOLER CEILING	METAL PAINT TO MATCH WALLS
18	VINYL COMPOSITION DN-II ZINC WHITE AMTICO	VINYL BASE 14118 GRAY ARMSTRONG	NONE	STOREFRONT GLASS	ACOUSTIC TILE	GLASS
19	VINYL COMPOSITION DN-21 PLATINUM 12" X 12" AMTICO	VINYL BASE 14118 GRAY ARMSTRONG	NONE	PAINTED GYP. BD. FED. STD. 37722	ACOUSTIC TILE	PLASTIC LAMINATE ON WOOD
20	SEALED CONCRETE	VINYL BASE 14118 GRAY ARMSTRONG	NONE	PAINTED GYP. BD. FED. STD. 37722	PAINTED GYP. BD. FED. STD. 37886	WOOD
21	VINYL COMPOSITION DN-II ZINC WHITE DN-21 PLATINUM AMTICO	VINYL BASE 14118 GRAY ARMSTRONG	NONE	VINYL WALL COVERING SAND CASTLE COLOR: OYSTER WHITE #2-53-24 GENON WALLCOVERING CO. (ADDITIVE NO. 2)	ACOUSTIC TILE	METAL PAINT TO MATCH WALL
22	QUARRY TILE NO.Q06 FAWN GRAY 12" X 12" AMERICAN OLEAN	SEALED CONCRETE	NONE	COOLER WALLS COVER WITH FRP IN "MEAT PREP"	COOLER CEILING COVER WITH FRP IN "MEAT PREP"	COOLER DOOR
23	SEALED CONCRETE	VINYL BASE 14118 GRAY ARMSTRONG	NONE	PAINTED WALLS FED. STD. 37722	ACOUSTIC TILE	WOOD
24	SEALED CONCRETE	PAINTED FED. STD. 36293	NONE	PAINTED WALLS FED. STD. 37722	PAINTED GYP. BD. FED. STD. 37875	METAL PAINT TO MATCH WALLS
25	QUARRY TILE NO.Q06 FAWN GRAY 12" X 12" AMERICAN OLEAN	TILE BASE TO MATCH FLOOR	NONE	CERAMIC TILE 365 CRYSTALLINE WHITE AMERICAN OLEAN	ACOUSTIC TILE	
26	QUARRY TILE NO.Q06 FAWN GRAY 12" X 12" AMERICAN OLEAN	TILE BASE TO MATCH FLOOR	NONE	PAINTED WALLS FED. STD. 37722	FIBERGLASS REINFORCED PANELS	METAL PAINT TO MATCH WALLS
27	SEALED CONCRETE WITH APPLIED FINISH	SEALED CONCRETE	NONE	COOLER WALLS	COOLER WALLS	COOLER DOORS
28	CERAMIC TILE DOVE GRAY 2" X 2" UNGLAZED AMERICAN OLEAN	CERAMIC TILE TO MATCH FLOOR	NONE	CERAMIC TILE DOVE GRAY 2" X 2" UNGLAZED AMERICAN OLEAN	EPOXY ENAMEL PAINT FED. STD. 37875	METAL PAINT TO MATCH WALLS
29	QUARRY TILE NO.Q06 FAWN GRAY 12" X 12" AMERICAN OLEAN	VINYL BASE 14115 PEWTER ARMSTRONG	NONE	PAINTED WALLS FED. STD. 37722	ACOUSTIC TILE	METAL
30	SEALED CONCRETE	NONE	NONE	PAINTED CONCRETE FED. STD. 37722	EXPOSED STRUCTURAL STEEL	METAL
31	VINYL COMPOSITION DN-II ZINC WHITE 12" X 12" AMTICO	VINYL BASE 14118 GRAY ARMSTRONG	NONE	STORE FRONT GLASS WALL LINER PANEL	ACOUSTIC TILE	GLASS
32	VINYL COMPOSITION DN-II ZINC WHITE AMTICO	VINYL BASE 14118 GRAY ARMSTRONG	NONE	PAINTED GYP. BD. FED. STD. 37722 STORE FRONT GLASS	ACOUSTIC TILE	GLASS
33	VINYL COMPOSITION DN-II ZINC WHITE 12" X 12" AMTICO	VINYL BASE 14118 GRAY ARMSTRONG	NONE	PAINTED GYP. BD. FED. STD. 37722	PAINTED GYP. BD. FED. STD. 37886	PLASTIC LAMINATE ON WOOD
34	CARPET ILLUSIONS 411-0701 STAGE LIGHTS BENTLEY MILLS	VINYL BASE 14117 MAUVE ARMSTRONG	NONE	PAINTED GYP. BD. FED. STD. 37150	ACOUSTIC TILE	WOOD NATURAL SATIN FINISH
35	SEALED CONCRETE	NONE	NONE	UN-PAINTED CONC. MASONRY UNITS	UN-PAINTED CONCRETE	METAL PAINT TO MATCH EXT. WALL COLOR

EXTERIOR COLOR SCHEDULE

WALLS	PILASTERS BEAMS & FASCIA	SOFFITS	DOORS	RAILINGS	STOREFRONT FRAMING	SLOPING TILE ROOFS
LIGHT TEXTURED CONCRETE & STUCCO	SMOOTH CONCRETE & STUCCO	STUCCO	STEEL	STEEL	ALUMINUM	CONCRETE TILE
FED. STD. 37150	FED. STD. 37722	FED. STD. 37150	FED. STD. 26306	FED. STD. 10045	DARK BRONZE	REDDISH BROWN

KEY TO FINISHES

FLOOR / BASE / WAINSCOT / WALL / CEILING / COLOR CODE / HEIGHT

SEE FLOOR PLAN FOR FINISHES

A	EXPOSED	L	ACOUSTIC	V	VINYL COATED WALL COVERING
B	CONCRETE	M	WOOD	W	WALL LINER PANEL
C	VINYL COMP. TILE	N	PLYWOOD	X	CMU
D	RESILIENT BASE	O	HARDBOARD	Y	PREFAB COOLER FREEZER WALL
E	GYPSUM BOARD	P	PLASTER, PORTLAND CEMENT	Z	FRP
F	PLASTER,GYPSUM	R	CARPET	AA	PAINTED BASE
G	PLASTER,KEENE'S CEMENT	S	SHEET VINYL	BB	CONC. ACID RES. SAND FINISH
H	CERAMIC TILE	T	TEXTURED COATING		
J	QUARRY TILE	U	STOREFRONT GLASS		
K	STR.CLAY FAC.UNIT (SCFU)				

NOTES:
VAR = VARIES
- INDICATES NOT APPLICABLE



1 (A1.2 / A1.16) BREAKROOM 32 FLOOR TILE
1/4" =1'-0"



2 (A1.6 / A1.16) SALES AREA FLOOR — VINYL COMP. TILE STRIPED FLOOR PATTERN
1/8" =1'-0"

COLOR AND FINISHES

ITEM	COLOR	MANUFACTURER	LOCATION
PAINTED DOORS & FRAMES	MATCH ADJOINING WALLS		
PAINTED METAL BASE OF OAK BENCH IN LOCKER ROOMS	BLACK ENAMEL (CLEAR SATIN FINISH ON THE OAK)		LOCKER ROOMS
METAL LAMINATE	604-UV BRUSHED ALUMINUM	METAL-ART II BY LAMINART	SALES AREA WALLS, 8'-0" TO 12'-0" (GRAPHICS BAND)
PLASTIC LAMINATE	882-T DAWN TEXTURED	LAMIN-ART	TOP OF COUNTER IN CASHIER'S OFFICE AND TOP OF COUNTER IN PATRON SERVICE AREA.
PLASTIC LAMINATE	812-T ANTIQUE WHITE TEXTURED	LAMIN-ART	SIDES OF COUNTER IN CASHIER'S OFFICE ~~& SIDES OF COUNTER IN PATRON SERVICE AREA.~~
PLASTIC LAMINATE	886-T MIST TEXTURED	LAMIN-ART	P.L. DOORS IN SALES AREA
PLASTIC LAMINATE	812-T ANTIQUE WHITE TEXTURED	LAMIN-ART	TOP OF COUNTER IN VET INSPECTION OFFICE & EGG CANDLING
PLASTIC LAMINATE	882-T DAWN TEXTURED	LAMIN-ART	SIDES OF COUNTER IN VET INSPECTION OFFICE & EGG CANDLING
PLASTIC LAMINATE	859 WISTERIA TEXTURED	LAMIN-ART	TOP OF COUNTER IN BREAK ROOM
PLASTIC LAMINATE	886 MIST TEXTURED	LAMIN-ART	SIDES OF COUNTER IN BREAK ROOM
PLASTIC LAMINATE	859 WISTERIA TEXTURED	LAMIN-ART	TABLE TOPS FOR 6-SEAT UNITS IN BREAK ROOM
PLASTIC LAMINATE	836 ZINNIA TEXTURED	LAMIN-ART	TABLE TOPS FOR 4-SEAT UNITS IN BREAK ROOM
PLASTIC LAMINATE	886 MIST TEXTURED	LAMIN-ART	WINDOW SILLS IN WAITING AREA & SECRETARY WAITING
ISLAND TYPE SHELVING	WHITE	LOZIER STORE FIXTURES	EQUIPMENT 339,341
CHECK-OUT STANDS	WHITE W/ STAINLESS-STEEL TOPS	LOZIER STORE FIXTURES	EQUIPMENT 214
SELF-SERVICE UPRIGHTS	22 MOUNTAIN GRAY	TYLER REFRIGERATION CORP.	EQUIPMENT 306,307
FROZEN FOOD	22 MOUNTAIN GRAY	TYLER REFRIGERATION CORP.	EQUIPMENT 315
ICE CREAM	22 MOUNTAIN GRAY	TYLER REFRIGERATION CORP.	EQUIPMENT 321
REFRIGERATED CASE	22 MOUNTAIN GRAY	TYLER REFRIGERATION CORP.	EQUIPMENT 323, 327D, 327F
REFRIGERATED DAIRY CASE	22 MOUNTAIN GRAY	TYLER REFRIGERATION CORP.	EQUIPMENT 324
BAKERY PROD. & SNACK FOODS	22 MOUNTAIN GRAY	TYLER REFRIGERATION CORP.	EQUIPMENT 342
BANANA DISPLAY	22 MOUNTAIN GRAY	TYLER REFRIGERATION CORP.	EQUIPMENT 402
CIGARETTE MERCHANDIZER	22 MOUNTAIN GRAY	TYLER REFRIGERATION CORP.	EQUIPMENT 359
FROZEN MEAT DISPLAY CASE	22 MOUNTAIN GRAY	TYLER REFRIGERATION CORP.	EQUIPMENT 520
ONION & POTATO DISPLAY	22 MOUNTAIN GRAY	TYLER REFRIGERATION CORP.	EQUIPMENT 403
NON-REFRIGERATED PRODUCE DISPLAY	22 MOUNTAIN GRAY	TYLER REFRIGERATION CORP.	EQUIPMENT 407,408
ISLAND END UNIT	22 MOUNTAIN GRAY	TYLER REFRIGERATION CORP.	EQUIPMENT 406
REFRIGERATED PRODUCE DISPLAY	22 MOUNTAIN GRAY	TYLER REFRIGERATION CORP.	EQUIPMENT 414,415
REFRIGERATED MEAT CASES	22 MOUNTAIN GRAY	TYLER REFRIGERATION CORP.	EQUIPMENT 514,515
REFRIGERATED MEAT & DELI DISPLAY UPRIGHTS	22 MOUNTAIN GRAY	TYLER REFRIGERATION CORP.	EQUIPMENT 516,517
REFRIGERATED DELI CASES	22 MOUNTAIN GRAY	TYLER REFRIGERATION CORP.	EQUIPMENT 903
WAREHOUSE SHELVING	MANUFACTURER'S STD.	GOVERMENT STANDARD	EQUIPMENT 619
TOILET PARTITIONS	1010 WHITE	GLOBAL STEEL PRODUCTS CORP.	TOILETS
LOCKERS	WARM WHITE	ALL AMERICAN LOCKER - DEBOURGH MFG. CO.	LOCKER ROOMS
MEDICAL FOOD INSPECTION CABINETS	PLATINUM	ST. CHARLES MFG. CO.	VET INSPECTION ROOM - UNIT 705a
BUMPER DOORS	POLISHED ALUMINUM	ELIASON "EASY SWING"	SALES AREA
CLOCK	BLACK FACE GREY BASE	PETER PEPPER PRODUCTS COMPTON, CALIF., 90224 (213)979-0815	CHECKOUT AREA
TELEPHONE & CASH REGISTERS	COLORS TO BE SELECTED BY CONTRACTING OFFICER. CASH REGISTERS ARE GOVERNMENT FURNISHED & INSTALLED EQUIPMENT.	GOVERMENT FURNISHED	
SOFAS	IC901-01 UPHOLSTERY: COM: ATLANTA ARCHITECTURAL TEXTILES, INC.: OLYMPIC SUEDE #150 COLOR: 150/30 NAVY	SHELBY WILLIAMS IC901 SOFA SERIES	WAITING AREA
LOUNGE CHAIRS	IC901-21 UPHOLSTERY: COM: ATLANTA ARCHITECTURAL TEXTILES, INC.: OLYMPIC SUEDE #150 COLOR: ONE CHAIR UPHOLSTERED IN EACH COLOR: 150/28 ROYAL BLUE 150/28 ROYAL BLUE 150/27 HUNTER 150/6 GRAY ROSE	SHELBY WILLIAMS IC901 SOFA SERIES	WAITING AREA
SHOWCASE		SHELBY WILLIAMS BUCKSTAFF	WAITING AREA
TABLE, 6-SEATER	BASE: 32-935 NATURAL SATIN FINISH ON OAK. TOP: PLASTIC LAMINATE TOP W/SELF EDGE TYPE FE 72" X 36" PLASTIC LAMINATE: 859 WISTERIA TEXTURED. BY LAMIN-ART	SHELBY WILLIAMS BUCKSTAFF	BREAK ROOM
TABLE, 4-SEATER	BASE: 32-929 NATURAL SATIN FINISH ON OAK. TOP: PLASTIC LAMINATE TOP W/SELF EDGE TYPE FE 48" X 36" PLASTIC LAMINATE: 836 ZINNIA TEXTURED. BY LAMIN-ART	SHELBY WILLIAMS	BREAK ROOM
CHAIRS	9311 CONTEMPORARY TUBULAR SIDE CHAIR (WITHOUT ARMS) UPHOLSTERY: NEO-28 SALMON, NEOCHROME (GRADE 8) BY NAUGAHYDE.	SHELBY WILLIAMS	BREAK ROOM

NOTE: USE NO WOOD TRIM ON ANY DISPLAYCASE. USE CHROME TRIM. DO NOT SUBSTITUTE WOOD PATTERN.

EXCEPT AS OTHERWISE DESIGNATED, COLORS ARE DESIGNATED BY FEDERAL STD 595 AND ARE FOR COLOR ONLY. GLOSS SHALL BE DETERMINED FROM APPROPRIATE SPECIFIED MATERIAL PUBLICATION. COLORS LISTED BY MANUFACTURERS ARE FOR IDENTIFICATION PURPOSES ONLY AND ARE NOT INTENDED TO LIMIT SELECTIONS TO PRODUCTS OF THE MANUFACTURERS INDICATED. AN EXACT MATCH FOR MANUFACTURERS COLORS IS NOT REQUIRED. THE SELECTIONS SERVE ONLY TO INDICATE THE COLOR WHICH THE MANUFACTURERS STANDARD MUST APPROACH.

12" 0 5' 10' 15'
SCALE: 1/8" =1'-0

12" 0 5' 10'
SCALE: 1/4" =1'-0

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: A. Andrews
DRAWN: E. Otwell
CHECKED: W. Miller
SUBMITTED: E. Levy

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

COLOR SCHEDULE AND FINISH SCHEDULE

DATE APPROVED: 6-11-87
SCALE: AS SHOWN
SPEC No. 7283
SHEET A1.16 28 OF 155
FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS

EQUIPMENT SCHEDULE

ITEM NO.	EIN.	ITEM DESCRIPTION	MAX.DIM.(IN.) W	D	H	ELECTRICAL REQUIRED	QUANTITY REQUIRED	CF CI	GF CI	GF GI
		AREA: STORE MANAGER (1)								
103	A-03-1	BOOKCASE	13	33	54		1			●
108	A-43-1	CABINET, KEY	20	D	36		1			●
112	A-09-1	CHAIR, STEEL, BACK, W/O ARMS	19	17	34		2			●
113	A-09-2	CHAIR, STEEL, ROTARY, ARMS	27	27	36		1			●
114	A-09-3	CHAIR, STEEL, ROTARY, W/O ARMS	27	27	36		1			●
124	A-13-1	DESK, STEEL GENERAL OFFICE, DOUBLE PEDESTAL	60	34	31		1			●
129	A-14-3	FILING CABINET, 5 DRAWERS HIGH	18	28	58		1			●
140	A-21-1	PAGING, INTERCOM AND BACKGROUND MUSIC	13	16	8	115V, 60HZ, 1PH	1	●		
159	A-33-2	TABLE, STEEL, GENERAL OFFICE	34	60	31		1			●
		AREA: CASHIER'S OFFICE (2)								
103	A-03-1	BOOKCASE	13	33	54		1			●
107	A-05-1	CABINET, STORAGE, METAL, DOUBLE DOOR	36	18	78		1			●
112	A-09-1	CHAIR, STEEL, BACK W/O ARMS	19	17	34		2			●
113	A-09-2	CHAIR, STEEL, ROTARY, ARMS	27	27	36		2			●
124	A-13-1	DESK, STEEL GENERAL OFFICE, DOUBLE PEDESTAL	60	34	31		2			●
128	A-14-2	FILING CABINET, 5 DRAWERS HIGH	18	28	58		1			●
149	A-28-4	SAFE, BURGLARY RESISTANT, 33600 CU.IN CAP.	36	30	36		1			●
150	A-28-3	SAFE, BURGLARY RESISTANT	45	36	75		1	●		
203	F-02-3	MONITOR - TERMINAL REMOTE LOCATION, CHECKOUT	20	24	18	115V, 60HZ, 1PH	1			●
204	F-02-2	CONTROLLER	33	20	35	115V, 60HZ, 1PH	1			●
		AREA: COUNTING ROOM (3)								
110	A-06-2	CALCULATOR, NONPRINT	14	16	5	115V, 60HZ, 1PH	7			●
136	A-19-3X	LOCKER, STEEL, MULTITIER (3 UNITS)	12	18	89		4			●
206	F-03-1	CHAIR, ROTARY, STEEL TUBULAR	16	16	30		9			●
		AREA: BAGGER'S BREAK ROOM (4)								
112	A-09-1	CHAIR, STEEL, BACK, W/O ARMS	19	17	34		12			●
134	A-19-1	LOCKER, STEEL, DOUBLE TIER	12	18	89		10			
156	A-32-1	TABLE, DINING (SMALL)	48	36	30		3			●
		AREA: WAITING AREA (8)								
111	A-08-1	CHAIR, LOUNGE	30	22	28		3			●
155	A-31-2	SOFA (SETTEE)	64	32	28		2			●
		AREA: DAIRY WALK-IN REFRIGERATOR (9)								
330	G-12-1	RACK, EGG CONTAINER, MOBILE	38	29	69		5	●		
331	G-01-1	RACK, MILK CONTAINER, MOBILE	40	29	69		20	●		
332	S-08-1	RACK, STORAGE, PALLET, GALVANIZED	111	43	108		4	●		
333	G-08-1	REFRIGERATOR, WALK-IN, DAIRY	472	464	120	208V, 60HZ, 3PH	1	●		
438	S-11-1	THERMOMETER, RECORDING	14	6	16	115V, 60HZ, 1PH	1	●		
		AREA: FROZEN FOOD FREEZER (10)								
334	G-08-2	REFRIGERATOR/FREEZER, WALK-IN	580	464	168	208V, 60HZ, 3PH	1	●		
426	S-08-1	RACK, STORAGE, PALLET	111	42	108		17	●		
438	S-11-1	THERMOMETER, RECORDING	14	6	16	115V, 60HZ, 1PH	1	●		
		AREA: FROZEN MEAT FREEZER (11)								
438	S-11-1	THERMOMETER, RECORDING	14	6	16	115V, 60HZ, 1PH	1	●		
546	S-08-1	RACK, STORAGE, LOADED PALLET, GALVANIZED	111	42	108		3	●		
552	G-08-4	REFRIGERATOR, WALK-IN	288	164	120	208V, 60HZ, 3PH	1	●		
		AREA: LUNCHEON MEAT REFRIGERATOR (12)								
438	S-11-1	THERMOMETER, RECORDING	14	6	16	115V, 60HZ, 1PH	1	●		
550	G-08-8	REFRIGERATOR, WALK-IN, LUNCH MEAT	164	126	120	208V, 60HZ, 3PH	1	●		
563	A-30-1	SHELVING, STORAGE, WIRE, MOBILE, 5 SHELVES	48	24	80		6			●
		AREA: POULTRY REFRIGERATOR (13)								
438	S-11-1	THERMOMETER, RECORDING	14	6	16	115V, 60HZ, 1PH	1	●		
546	S-08-1	RACK, STORAGE, LOADED PALLET, GALVANIZED	111	42	108		3	●		
549	G-08-6	REFRIGERATOR, WALK-IN, POULTRY	244	164	120	208V, 60HZ	1	●		
574	P-12-2	TRUCK, HAND DOLLY, CHICKEN	31	26	15		1			●
		AREA: CART WASH (14)								
505	M-11-1	CLEANING AND SANITIZING MACHINE, PORTABLE	28	18	31	115V, 60HZ, 1PH	1			●

ITEM NO.	EIN.	ITEM DESCRIPTION	MAX.DIM.(IN.) W	D	H	ELECTRICAL REQUIRED	QUANTITY REQUIRED	CF CI	GF CI	GF GI
		AREA: STORAGE, MEAT PREPARATION (16)								
505	M-11-1	CLEANING AND SANITIZING MACHINE, PORTABLE	28	18	31	115V, 60HZ, 1PH	1			●
563	A-30-1	SHELVING, STORAGE, WIRE, MOBILE, 5 SHELVES,	48	24	80		3			●
		AREA: MEAT MANAGER'S OFFICE (17)								
103	A-03-1	BOOKCASE	13	33	54		1			●
112	A-09-1	CHAIR, STEEL, BACK, W/O ARMS	19	17	34		2			●
113	A-09-2	CHAIR, STEEL, ROTARY, ARMS	27	27	36		1			●
124	A-13-1	DESK, STEEL GENERAL OFFICE, DOUBLE PEDESTAL	60	34	31		1			●
127	A-14-1	FILING CABINET, 3 DRAWERS HIGH	18	28	39		1			●
159	A-33-2	TABLE, STEEL, GERNERAL OFFICE	34	60	31		1			●
301	G-11-1	ALARM SYSTEM, REFRIG, CONTROL PANEL	W	D	H	115V, 60H, 1PH, 24V	1	●		
		AREA: MEAT CHILL REFRIGERATOR (18)								
438	S-11-1	THERMOMETER, RECORDING	14	6	16	115V, 60HZ, 1PH	1	●		
511	M-02-1	CONVEYOR, BELT: POWERED, MEAT-LOAF	74	21	40	120, 60HZ, 1PH	2			●
545	P-07-4	RACK, DELIVERY & STORAGE, 6 SHELVES (LUG)	26	19	65		10			●
546	S-08-1	RACK, STORAGE, LOADED PALLET, GALVANIZED	111	42	108		6	●		
551	G-08-4	REFRIGERATOR, WALK-IN	524	352	120	208V, 60HZ, 3PH	1	●		
560	M-19-2	SCALE, OVERHEAD TRACK, CANTILEVER,1600 LB CAPACITY	42	16	76		1			●
563	A-30-1	SHELVING, STORAGE, WIRE, MOBILE, 5 SHELVES	48	24	80		8			●
547	M-15-1	RAIL SYSTEM OVERHEAD	360	1/2	2 1/2		1	●		
		AREA: MEAT PREPARATION (19)								
526	M-06-2	MIXER GRINDER, INTEGRATED SYSTEM, FLOOR TYPE, TWIN HOPPERS, 200 LB. EA. HOPPER CAP.	84	53	67	208V, 60HZ, 3PH, 10HP	1			●
527	P-05-1	HANDWRAP STATION,CONSOLE, MANUAL, 3 ROLL	48	26	38	115V, 60HZ, 1PH 650W	1			●
534	M-09-1	BONE DUST REMOVING MACHINE, AUTOMATIC	52	34	54	115V, 60HZ, 1PH, 1/2HP	2			●
536	M-10-2	MEAT TYING MACHINE , MANUAL	27	10	11		1			●
537	M-12-1	MEAT SLICING MACHINE, AUTO, ELEC, TABLE MOUNTED	27	24	30	115V, 60HZ, 1PH	1			●
540	M-13-1	MEAT TENDERIZER, ELECTRIC	20	16	22	115V, 60HZ, 1PH 1/3HP	1			●
543	M-14-3	MEAT MOLDING ATTACHMENT	22	10	13	115V, 60HZ,1PH	1			●
544	M-14-4	MOLDING MACHINE, SELF-CONTAINED, FLOOR MOUNTED, 3600 PATTIES PER HOUR	90	35	61	230V, 60HZ, 1PH	1			●
547	M-15-1	RAIL SYSTEM OVERHEAD	1092	1/2	2 1/2		1	●		
551	G-08-4	REFRIGERATOR, WALK-IN	628	390	120	208V, 60HZ, 3PH	1	●		
553	M-16-1	REFRIGERATOR, ROLL-THRU 4 SECTIONS	129	41	86	115V, 60HZ, 1PH	3	●		
554	M-17-1	SAW BAND, MEAT, 14-1/2 CUTTING CLEARANCE	38	34	75	208V, 60HZ, 3PH	1			●
555	M-17-2	SAW BAND, MEAT, 17-1/2CUTTING CLEARANCE	51	39	75	208V, 60HZ, 3PH	2			●
558	M-22-1	SCALE, BEAM INDICATIING, PLATFORM, 500LB CAPACITY	24	16	44		1			●
562	P-08-1	SCALE SYSTEMS, PREPACKAGED FOOD, DIGITAL COMP. WITH LABEL PRINTER	27	23	21	115V, 60HZ, 1PH	1			●
565A	S-09-3	SINK, SS LAVATORY	26	24	18		1	●		
566	P-10-1	SINK, STAINLESS STEEL, 3 COMPARTMENTS	114	30	42		1	●		
567	M-20-1	STONE SHARPENING	18	8	6		2			●
568	M-21-1	TABLE, FOOD PREPARATION	48	24	36		1			●
569	M-21-2	TABLE, FOOD PREP WITH REMOVABLE CUTTING BOARD	72	36	36		3			●
570	M-21-3	TABLE, FOOD PREP WITH BACK SPLASH	72	36	50		2			●
571	M-21-4	TABLE, FOOD PREPARATION, WITH UPPER SHELF	72	36	62		3			●
572	P-11-1	TABLE, FOOD PREPARATION	72	30	36		2			●
581	P-15-4	WRAPPING, CONVEYING, WEIGHING, LABELING SYSTEM, AUTO, L-R	200	43	72	208V, 60HZ, 1PH, 40AMP	1			●
915	P-11-2	TABLE FOOD PREPARATION, ROLLED RIM TO	48	30	36		1			●
		AREA: VET INSPECTION (20)								
703	A-09-1	CHAIR, STEEL, OFFICE STRAIGHT BACK, W/O ARMS	16	16	36		1			●
705A	V-04-2	COUNTER, VETERINARIAN WITH FREEZER/ REFRIGERATOR, GARBAGE DISPOSAL AND STORAGE CABINETS	98	26	40	115V, 60HZ, 1PH	1	●		
715	V-03-1	STAND, EGG CANDLING, BENCH TYPE, ST. STEEL	60	24	24		1			●
718	M-21-3	TABLE, FOOD PREPARATION, WITH BACKSPLASH	72	36	50		1			●
719	S-10-2	TABLE, WORK, ST. STEEL, ADJUSTABLE LEGS	60	30	36		1			●
		AREA: VET OFFICE (21)								
703	A-09-1	CHAIR, STEEL, OFFICE STRAIGHT BACK, W/O ARMS	16	16	36		2			●
704	A-09-2	CHAIR, STEEL, GENERAL OFFICE ROTARY	22	24	36		1			●
706	A-13-1	DESK, STEEL, GENERAL OFFICE, DOUBLE PEDESTAL	60	34	31		1			●
707	A-13-2	DESK, STEEL, OFFICE, TYPEWRITER, LEFT	60	34	31		1			●
709	A-14-2	FILING CABINET, LEGAL SIZE, STEEL 5	18	28	58		1			●
710	A-19-2	LOCKER, CLOTHING, STEEL, SINGLE TIER	18	21	89		4			●
723	A-03-1	BOOKCASE SECTION	33	13	54		1			●
		AREA: DELI PREPARATION (24)								
438	S-11-1	THERMOMETER, RECORDING	14	6	16	115V, 60HZ, 1PH	1	●		
901	A-05-1	CABINET, STORAGE, METAL	36	18	78		1			●
904	A-19-1	LOCKER, CLOTHING, STEEL, DOUBLE TIER	12	18	89		1			●
909	G-08-8	REFR., WALK-IN	120	96	96	208V, 60HZ, 3PH	1	●		
911	A-30-2	SHELVING, STORAGE, WIRE, MOBILE	36	24	80		1			●
912	A-30-3	SHELVING, STORAGE, WIRE, MOBILE	48	24	80		4			●
913	S-09-3	SINK, HAND LAVATORY, STAINLESS STEEL	26	24	18		1	●		
914	P-10-1	SINK, ST., 3 COMPARTMENT	114	30	42		1	●		

REVISION	DATE	DESCRIPTION	BY	BY
△				
△				

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: E. Otwell
CHECKED: W. Miller

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

EQUIPMENT SCHEDULE

SUBMITTED: E. Levy
DATE APPROVED: 6-1-87
SCALE: NO SCALE
SPEC No. 7283
SHEET A1.17 29 OF 155
FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS

EQUIPMENT SCHEDULE

ITEM NO.	EIN.	ITEM DESCRIPTION	MAX.DIM.(IN.) W	D	H	ELECTRICAL REQUIRED	QUANTITY REQUIRED	CF CI	GF CI	GF GI
		AREA: DELISALES (25)								
513	M-04-1	CUTTER,CHEESE	20	20	26		1			●
903	G-02-2	DISPLAY CASE, MECH. REFR. WITH SCALE STAND	144	48	55	208V, 60HZ, 3PH	2	●		
905A	M-12-1	MEAT SLICING MACHINE, AUTOMATIC, 55-80	27	24	30	115V, 60HZ, 1PH, 1/3 HP	3			●
910A	P-08-2	SCALE SYSTEM, PREPACKAGED FOOD, DIGITAL				115V, 60HZ, 1PH	3			●
		COMPUTING W/LABELING PRINTER								
		PRINTER	9	19	13					
		SCALE	27	23	21					
911	A-30-2	SHELVING, STORAGE, WIRE, MOBILE	36	24	80		3			●
913	S-09-3	SINK, HAND LAVATORY, STAINLESS STEEL	26	24	18		1	●		
915	P-11-2	TABLE, FOOD PREPARATION	48	30	36		1			●
916	P-11-1	TABLE, FOOD PREPARATION	72	30	36		2			●
		AREA: PRODUCE REFRIGERATION (26)								
426	S-08-1	RACK, STORAGE, PALLET	111	42	108		6	●		
427	G-08-7	REFRIGERATOR, MECH, WALK-IN, PRODUCE	564	362	120	208V, 60HZ, 3PH	1	●		
433	A-30-1	SHELVING, STORAGE, MOBILE	48	24	80		8			●
438	S-11-1	THERMOMETER, RECORDING	14	6	16	115V, 60HZ, 1PH	1	●		
		AREA: PRODUCE PREPARATION ROOM (27)								
417	P-04-1	PRODUCE PREP. STATION W/GARBAGE DISPOSAL	36	36	46	115V, 60HZ, 3PH, 3HP	1	●		
418	P-05-1	HANDWRAP STATION, MANUAL 3 ROLL CAP	48	26	38	115V, 60HZ, 1PH, 650W	1			●
424	P-07-2	RACK, DELIVERY AND STORAGE, (LUGS) 2 SHELVES	30	29	39		4			●
427	G-08-7	REFRIGERATOR, MECH, WALK-IN, PRODUCE	470	254	120	208V, 60HZ, 3PH	1	●		
428	P-08-1	SCALE SYSTEM, PREPACKAGE FOOD, DIGITAL				115V, 60HZ, 1PH	1			●
		COMPUTING WITH LABELING PRINTER								●
		PRINTER	9	19	13					
		SCALE	27	23	21					
432	P-09-1	SEALING MACHINE, HEAT, HOT JAW	9	9	6	115V, 60HZ, 1PH, 1650W	1			●
435	S-9-3	SINK, HAND, STAINLESS STEEL	26	24	18		1	●		
436	P-10-1	SINK, STAINLESS STEEL, 3 COMPARTMENT	114	30	42		1	●		
437	P-11-1	TABLE, FOOD PREP., S/STOP	72	30	36		2			●
		AREA: POTATO/ONION STORAGE (28)								
427	G-08-7	REFRIGERATOR, MECH, WALK-IN, PRODUCE	224	124	120	208V, 60HZ, 3PH	1	●		
433	A-30-1	SHELVING, STORAGE, MOBILE	48	24	80		4			●
		AREA: PRODUCE SUPPLY (29)								
433	A-30-1	SHELVING, STORAGE, MOBILE	48	24	80		4			●
		AREA: PRODUCE MANAGER'S OFFICE (30)								
103	A-03-1	BOOKCASE	13	33	54		1			●
112	A-09-1	CHAIR, STEEL, BACK, W/O ARMS	19	17	34		1			●
113	A-09-2	CHAIR, STEEL, ROTARY, ARMS	27	27	36		1			●
124	A-13-1	DESK, STEEL GENERAL OFFICE, DOUBLE PEDESTAL	60	34	31		1			●
127	A-14-1	FILING CABINET, 3 DRAWERS HIGH	18	28	39		1			●
401	G-11-01	ALARM SYSTEM	NOT APPLICABLE			115V, 60HZ,1PH	1	●		
		AREA: RECEIVING OFFICE (31)								
103	A-03-1	BOOKCASE	13	33	54		1			●
112	A-09-1	CHAIR, STEEL, BACK, W/O ARMS	19	17	34		1			●
113	A-09-2	CHAIR, STEEL, ROTARY, ARMS	27	27	36		1			●
124	A-13-1	DESK, STEEL GENERAL OFFICE, DOUBLE PEDESTAL	60	34	31		1			●
127	A-14-1	FILING CABINET, 3 DRAWERS HIGH	18	28	39		1			●
140	A-21-1	PAGING, INTERCOM AND BACKGROUND MUSIC SYSTEM	13	6	8	115V, 60HZ, 1PH	1	●		
		AREA: BREAK ROOM (32)								
112	A-09-1	CHAIR, STEEL, BACK, W/O ARMS	19	17	34		32			●
147	A-27-1	REFRIGERATOR REACH-IN, 20 CU FT	39	38	85	115V, 60HZ, 1PH, ¼HP	1			●
156	A-32-1	TABLE, DINING (SMALL)	48	36	30		2			●
157	A-32-2	TABLE, DINING (LARGE)	72	36	30		4			●
		AREA: MEAT AISLE (33)								
514	G-02-13	8' DISPLAY CASE, FRESH MEAT TUB/COFFIN	96	43	42	208V, 60HZ, 3PH	1	●		
515	G-02-14	12' DISPLAY CASE, FRESH MEAT TUB/COFFIN	144	43	42	208V, 60HZ, 3PH	6	●		
		AREA: WOMEN'S TOILETS AND LOCKER ROOM (34)								
101	A-02-1	BENCH, LOCKER ROOM	70	10	18		2	●		
136	A-19-3X	LOCKER, STEEL, MULTI TIER (3 UNITS)	12	18	89		9	●		
		AREA: MEN'S TOILETS AND LOCKER ROOM (35)								
101	A-02-1	BENCH, LOCKER ROOM	70	10	18		2	●		
136	A-19-3X	LOCKER, STEEL, MULTI TIER (3 UNITS)	12	18	89		23	●		

ITEM NO.	EIN.	ITEM DESCRIPTION	MAX.DIM.(IN.) W	D	H	ELECTRICAL REQUIRED	QUANTITY REQUIRED	CF CI	GF CI	GF GI
		AREA: PRODUCE SALES (36)								
402	P-01-2	BANANA DISPLAY TABLE, PEDESTAL MOUNTED	72	36	53		2			●
403	P-02-1	BIN, ONIONS AND POTATOES	36	41	53		6			●
406	P-03-3	CASE, PRODUCE, NON-REFRIG, ISLAND END UNIT	74	43	44		4	●		
407	P-03-4	8' CASE, PRODUCE, NON-REFRIG, WIDE ISLAND	96	74	44		1	●		
408	P-03-5	12' CASE, PRODUCE, NON-REFRIG, WIDE ISLAND	144	74	44		1	●		
414	G-02-11	8' DISPLAY CASE, PRODUCE, REFRIG, WITH	96	48	75	208V, 60HZ, 3PH	1	●		
		SHELF AND MIRROR								
415	G-02-12	12' DISPLAY CASE, PRODUCE,REFRIG, WITH	144	48	75	208V, 60HZ, 3PH	5	●		
		SHELF AND MIRROR								
		AREA: SALVAGE (37)								
614	S-06-1	FROZEN FOOD CAB	80	33	79	208V, 60HZ,1PH, 1HP	1			●
621	S-09-1	SINK, SS, 1 COMP	28	28	44		1	●		
625	P-11-1	TABLE, FOOD PREPARTION	72	30	36		1			●
		AREA: CUTTING/MARKING ROOM (38)								
138	A-20-1	SIGN MAKING MACHINE	26	14	12	115V, 60HZ,1PH	1			●
159	A-33-2	TABLE, STEEL, GENERAL OFFICE	34	60	31		1			●
607	S-04-2	CONVEYOR, POWERED, WITH ROLLERS	120	18	36	220V, 60HZ, 3PH	2			●
617	S-22-1	PRICE MARKETING STATION, EXPANDABLE	240	24	36		1			●
		AREA: CHECK-OUT (39)								
201	F-02-1	CASH REGISTER	20	24	14	115V, 60HZ, 1PH	17			●
211	F-01-1	HANDCART, GROCERY, CARRYOUT	23	31	43		50			●
212	F-08-1	LIGHTS, CHECK STAND	W	D	H	115V, 60HZ, 1PH	17	●		
214	F-04-2S	COUNTER CHECKOUT DUAL CONVEYOR	163	49	36	115V, 60HZ, 1PH	17	●		
215	F-02-6	UPC SCANNER				115V, 60HZ,1PH	17			●
216	P-08-4	SCALE, WEIGHING & COMPUTER CHECKOUT	18	18	19	110V,60HZ,1PH	17			●
		AREA: CART STORAGE (40)								
209	A-06-1	HAND BASKET	20	14	8		30			●
210	A-06-1	HAND CART, GROCERY, NESTING	28	26	41		300			●
		AREA: JANITOR'S CLOSET (42D)								
304	G-05-1	CLEANER, VACUM, ELEC, WET/DRY	26	22	23	115V, 60HZ, 1PH	1			●
329	G-03-1	POLISHER, ELECTRIC, CIRCULAR	25	25	36	115V, 60HZ, 1PH	2			●
337	G-04-2	SCRUBBING MACHINE, SCRUBBING, ELECTRIC	40	24	45	115V, 60HZ, 1PH	1			●
631	A-14-1	TRUCK, MOP	28	30	32		1			●
		AREA: JANITOR'S CLOSET (42,A,B,C,E)								
505	M-11-1	CLEANING & SANTIZING MACHINE, PORTABLE (42E ONLY)	28	18	31	115V, 60HZ, 1PH	1			●
631	A-14-1	TRUCK, MOP	28	30	32		1			●
		AREA: SENSITIVE STORAGE (44)								
619	S-08-3	RACK, STORAGE, LOADING PALLET	108	42	180		15	●		
		AREA: DEPUTY COMMISSARY OFFICER (45)								
103	A-03-1	BOOKCASE	13	33	54		1			●
111	A-08-1	CHAIR, LOUNGE	30	22	28		1			●
113	A-09-2	CHAIR, STEEL, ROTARY, ARMS	27	27	36		1			●
124	A-13-1	DESK, STEEL GENERAL OFFICE, DOUBLE PEDESTAL	60	34	31		1			●
		AREA: COMMISSARY OFFICER (46)								
103	A-03-1	BOOKCASE	13	33	54		1			●
111	A-08-1	CHAIR, LOUNGE	30	22	28		1			●
124	A-13-1	DESK, STEEL GENERAL OFFICE, DOUBLE PEDESTAL	60	34	31		1			●
139	A-07-1	CHAIR, EXECUTIVE	33	33	36		1			●
155	A-31-2	SOFA (SETTEE)	64	32	28		1			●
160	A-34-1	TABLE, OCCASIONAL	33	33	21		1			●
217	A-44-2	CREDENZA	66	18	31		1			●

ENVIRONMENTAL ENGINEERING THRU ENGINEERING

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: E. Cromwell
CHECKED: W. Miller

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

EQUIPMENT SCHEDULE

SUBMITTED: E. Levy
DATE APPROVED: 6-11-87

SCALE: NO SCALE | SPEC No. 7283
SHEET: A1.18 30 OF 65 | FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS

EQUIPMENT SCHEDULE

ITEM NO.	EIN.	ITEM DESCRIPTION	MAX.DIM.(IN.) W	D	H	ELECTRICAL REQUIRED	QUANTITY REQUIRED	CF CI	GF CI	GF GI
		AREA: SECRETARY/WAITING (47)								
103	A-03-1	BOOKCASE	13	33	54		1			●
111	A-08-1	CHAIR, LOUNGE	30	22	28		1			●
114	A-09-3	CHAIR, STEEL, ROTARY, W/O ARMS	27	27	36		1			●
125	A-13-2	DESK, STEEL, TYPEWRITER	60	34	31		1			●
128	A-14-2	FILING CABINET, 5 DRAWERS HIGH	18	28	58		1			●
155	A-31-2	SOFA (SETTEE)	64	32	28		1			●
160	A-34-1	TABLE, OCCASIONAL	33	33	21		1			●
		AREA: SALES SUPPORT ROOM (50)								
113	A-09-2	CHAIR, STEEL, ROTARY, ARMS	27	27	36		13			●
143	A-23-1	RACK, STEEL, WEARING APPAREL	51	20	78		1			●
158	A-33-1	TABLE, STEEL, GENERAL OFFICE	24	36	31		1			●
159	A-33-2	TABLE, STEEL, GENERAL OFFICE	34	60	31		2			●
		AREA: COMPUTER ROOM (51)								
A-1		PRIMARY PROCESSOR	24	39	64	208V,1PH,17A	1			●
A-2		SECONDARY PROCESSOR	24	39	64	208V,1PH,17A	1			●
A-3		CRT AND KEYBOARD	24	24	14	120V,1PH	2			●
A-4		DISC DRIVE	20	18	24		1			●
A-5		PRINTER (LPM)	36	30	40	120V,1PH	1			●
A-6		BASS TELZON UNITS AND RECHARGING STATION					1			●
A-7		CASH REGISTER TERMINAL				120V,1PH	1			●
B-1		CENTRAL PROCESSING UNIT (FUTURE)	30	42	60		1			●
B-2		CRT AND KEYBOARD (FUTURE)	24	24	14		1			●
B-3		DISK UNIT - FLOOR MODEL (FUTURE)	20	18	24		1			●
B-4		PRINTER (LPM) (FUTURE)	32	44	42		1			●
B-5		MAG TAPE DRIVE - FLOOR MODEL (FUTURE)	22	18	24		1			●
B-6		MODEM (FUTURE)					1			●
103	A-03-1	BOOKCASE	13	33	54		1			●
107	A-05-1	CABINET, STORAGE, METAL, DOUBLE DOOR	36	36	78		1			●
112	A-09-1	CHAIR, STEEL, BACK, W/O ARMS	19	17	34		2			●
113	A-09-2	CHAIR, STEEL, ROTARY, ARMS	27	27	36		1			●
158	A-33-1	TABLE, STEEL GENERAL OFFICE	24	36	31		4			●
159	A-33-2	TABLE, STEEL, GENERAL OFFICE	34	60	31		1			●
C-4		GENERAL PURPOSE SHELF UNIT TO HOUSE MODEM	30	15	H		1			●
C-5		FLOOR MODEL CABINET TO HOUSE DISCS AND TAPES (ADJUSTABLE SHELVING RACKS)	36	20	84		2			●
C-8		SHELVING UNITS TO HOLD BASS TELZON UNITS AND RECHARGING STATIONS	36	16			1			●
C-6		GEN. PURPOSE CABINET					1			●
		AREA: GENERAL ADMINISTRATION (54)								
103	A-03-1	BOOKCASE	13	33	54		1			●
112	A-09-1	CHAIR, STEEL, BACK, W/O ARMS	19	17	34		3			●
113	A-09-2	CHAIR, STEEL, ROTARY, ARMS	27	27	36		11			●
124	A-13-1	DESK, STEEL GENERAL OFFICE, DOUBLE PEDESTAL	60	34	31		11			●
137	A-41-1	COPIER MACHINE	48	24	18	115V, 60HZ, 1PH	1			●
143	A-23-1	RACK, STEEL, WEARING APPAREL					1			●
152	A-29-1	TELE ANSWERING, INFORMATION				115V, 60HZ, 1PH	1	●		
159	A-33-2	TABLE, GENERAL OFFICE, STEEL	60	34	31		2			●
		AREA: BREAK ROOM (55)								
112	A-09-1	CHAIR, STEEL, BACK, W/O ARMS	19	17	34		12			●
115	A-10-1	CLOCK, TIME, WITH RACK (IN HALL)	39	38	85	115V, 60HZ, 1PH	1			●
147	A-27-1	REFRIGERATOR REACH-IN, 20 CU FT	39	38	85	115V, 60HZ, 1PH, 3/4HP	1			●
157	A-32-2	TABLE, DINING (LARGE)	72	36	30		2			●
		AREA: SALES ROOM (56)								
306	G-02-1	8' DISPLAY CASE (DAIRY) UPRIGHT	96	48	85	208V, 60HZ, 3PH	2	●		
307	G-02-2	12' DISPLAY CASE (DAIRY) UPRIGHT	144	48	85	208V, 60HZ, 3PH	4	●		
315	G-02-20	12' DISPLAY CASE FROZEN FOOD, TWIN, WIDE AISLE	144	87	42	208V, 60HZ, 3PH	7	●		
321	G-02-22	12' DISPLAY CASE, ICE CREAM, WIDE AISLE	144	87	42	208V, 60HZ, 3PH	4	●		
323	G-06-1	MERCHANDISER, VERTICAL, SELF-CONTAINED	74	44	84	208V, 60HZ, 3PH	2	●		
324	G-06-2	12' MERCHANDISER (MILK-EGGS) ROLL-IN	144	50	90	208V, 60HZ, 3PH	3	●		
327D	G-06-5	MERCHANDISER, REFRIGERATOR, REACH-IN, LOW TEMP	90	37	82	208V, 60HZ, 3PH	1	●		
327F	G-06-7	MERCHANDISER, REFRIGERATOR, REACH-IN, LOW TEMP	160	37	82	208V, 60HZ, 3PH	6	●		
339	G-09-2	SHELVING, GONDOLA, ISLAND TYPE	48	58	72		180	●		
341	G-09-3	SHELVING, HALF GONDOLA, WALL TYPE	48	29	72		23	●		
342	G-09-4	SHELVING, HALF GONDOLA, WALL TYPE, BAKER	144	32	90		6	●		
359	G-06-10	CIGARETTE MERCHANDISER	84	30	80		6	●		
516	G-02-15	8' DISPLAY CASE, MEAT, UPRIGHT-DELI	96	48	85	208V, 60HZ, 3PH	2	●		
517	G-02-16	12' DISPLAY CASE, MEAT, UPRIGHT-DELI	144	48	85	208V, 60HZ, 3PH	2	●		
520	G-02-18	DISPLAY CASE FROZEN MEAT, UPRIGHT	144	48	85	208V, 60HZ, 3PH	4	●		

ITEM NO.	EIN.	ITEM DESCRIPTION	MAX.DIM.(IN.) W	D	H	ELECTRICAL REQUIRED	QUANTITY REQUIRED	CF CI	GF CI	GF GI
		AREA: DRY STORAGE (57)								
612	S-20-1	DOCKBOARD LEVELING, POWER OPERATED, 20,000 LB	96	84	H	208V, 60HZ, 1PH	3	●		
615	S-25-1	LIGHTS, LOADING DOCK	W	D	H	115V, 60HZ, 1PH	3	●		
619	S-08-3	RACK, STORAGE, LOADING PALLET	108	42	180		187	●		
633	S-24-1	TRUCK, PALLET, LOW LIFT, MANUAL/HYDRAULIC	65	33	7		3			●
602	S-1-2	BALER, AUTOMATIC, VERTICAL	99	47	152	208 V, 60HZ, 3PH				●
		AREA: MATERIAL HANDLING EQUIPMENT STATION (59)								
336	G-04-1	SCRUBBING MACHINE, FLOOR, BATTERY POWERED	60	28	46		2			●
603	S-03-1	CHARGER, BATTERY, 24 VOLTS	29	26	28	480V,60HZ,3PH	9	●		
604	S-03-2	CHARGER, BATTERY, 36 VOLTS	29	26	28	480V,60HZ,3PH	2	●		
605	S-03-3	CHARGER, BATTERY, 12 VOLTS	29	26	28	480V,60HZ,3PH	4	●		
622	S-09-2	SINK, SERVICE WITH EYEWASH, ONE COMPARTMENT	28	28	44		1	●		
634	S-12-1	TRACTOR, WAREHOUSE, ELEC, MULE, 24 VOLTS	90	30	40	24VDC	1			●
638	S-15-1	TRUCK, LIFT, FORK, ELEC, SITDOWN, COUNTER-BALANCED - 36 VOLTS	110	38	72	36VDC	2			●
640	P-13-2	TRUCK, PALLET, POWERED, ELEC, LOW LIFT WALK-RIDER - 12 VOLTS	84	33	38	12VDC	4			●
643	S-16-3	TRUCK, LIFT, FORK, TIERING, WALKIE STADDLE TYPE, ELEC. LOW MAST	78	50	72	24VDC	2			●
645	S-13-2	TRUCK, FORK, HIGH LIFT, REACH TIER, ELECTRIC STAND-UP RIDER - 24 VOLTS	95	48	96	24VDC	3			●
646	S-27-1	TRUCK, HIGH LIFT, ORDER PICKER/STOCK SELECTOR WITH OPERATOR PLATFORM - 24 VOLTS	120	55	H	24VDC	2			●
649	G-04-3	SWEEPER, WAREHOUSE/FLOOR RID. 36 INCH	60	40	53	24VDC	1			●
		AREA: MEAT AND PRODUCE RECEIVING (60)								
559	M-19-1	SCALE, DIAL AND BEAM, MOBILE, 400 LB.	28	39	79		1			●
561	M-19-3	SCALE, RECESSED, FLOOR, 1600 LB. & DIGITAL INDICATOR	28	39	79	115V,60HZ,1PH	1	●		
612	S-20-1	DOCKBOARD LEVELING, POWER OPERATED, 20,000 LB	96	84	H	208V, 60HZ, 1PH	3	●		
615	S-25-1	LIGHTS, LOADING DOCK	W	D	H	115V, 60HZ, 1PH	3	●		

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: E. Atwell
CHECKED: W. Miller

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

EQUIPMENT SCHEDULE

SUBMITTED: E. Levy
DATE APPROVED: 6-11-67

SCALE: NO SCALE | SPEC NO. 7283
SHEET: A1.19 30 55 | FILE NO. 192-25-504

ENVIRONMENTAL ENHANCEMENT THROUGH ENGINEERING

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



1 / A1.1 | A2.1 — PARTIAL NORTH ELEVATION - LEFT

1/8" = 1'-0"



2 / A1.1 | A2.1 — PARTIAL BLDG. SECTION

1/8" = 1'-0" BETWEEN COL'S. K & L - SEE PLANS



3 / A2.1 | A2.1 — PARTIAL NORTH ELEVATION - RIGHT

1/8" = 1'-0"



4 / A1.1 | A2.1 — PARTIAL BUILDING SECTION

1/8" = 1'-0" BETWEEN COL'S. K & L - SEE PLANS

SCALE: 1/8" = 1'-0"



KEY PLAN

NO SCALE

REVISION	DATE	DESCRIPTION	BY	FY

CROMWELL, TREMPER, LEVY, PARKER & WOODSMALL ARCHITECT/ENGINEER
SHAPIRO, OSING, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: R. Bowman
CHECKED: W. Miller
SUBMITTED:

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

NORTH ELEVATION & BUILDING SECTION

DATE APPROVED: 6-11-87

SCALE: 1/8"=1'-0" | SHEET: A2.1 | SPEC No. 7258
FILE No. 192-25-504

32 x 150

ENVIRONMENTAL ENGINEERING

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: R. Bowen
CHECKED: W. Miller
SUBMITTED: E. Levy

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING
EAST ELEVATIONS

DATE APPROVED: 6-11-87
SCALE: 1/8" = 1'-0
SPEC. No. 7283
SHEET A2.2
FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



1 A1.1 A2.3 PARTIAL SOUTH ELEVATION - RIGHT
1/8" = 1'-0"

2 A1.1 A2.3 PARTIAL BUILDING SECTION
1/8" = 1'-0" BETWEEN COL'S. D & F - SEE PLANS

3 A1.1 A2.3 PARTIAL SOUTH ELEVATION - LEFT
1/8" = 1'-0"

4 A1.1 A2.3 PARTIAL BUILDING SECTION
1/8" = 1'-0" BETWEEN COL'S. 10 & 12 - SEE PLANS

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & BOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: R. Bowen
CHECKED: W. Miller
SUBMITTED: E. Levy
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING
SOUTH ELEVATION & BUILDING SECTIONS

SCALE: 1/8" = 1'-0" SPEC. No. 7283
SHEET A2.3 FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: E. Brown
CHECKED: W. Miller
SUBMITTED:
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING
WEST ELEVATION & BUILDING SECTIONS

SCALE: 1/8" = 1'-0" SPEC. No. 7283
SHEET A2.4 3.5 OF 155
FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



1 A1.1 A3.1 PARTIAL BUILDING SECTION

1/8"=1'-0" BETWEEN COL'S. 7 & 8 · SEE PLANS



2 A1.1 A3.1 PARTIAL BUILDING SECTION

1/8"=1'-0" BETWEEN COL'S. 7 & 8 - SEE PLANS



3 A1.1 A3.1 PARTIAL BUILDING SECTION

1/8"=1'-0" BETWEEN COL'S 7 & 8 · SEE PLANS



KEY PLAN
NO SCALE

SCALE: 1/8"=1'-0"

REVISION	DATE	DESCRIPTION	BY	IT

CROMWELL, TRUEMPER, LEVIT, PARKER & WOODSMALL; ARCHITECT/ENGINEER
SHAPIRO, DEMO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: L. Torrison
CHECKED: W. Miller
SUBMITTED: E. Levy
DATE APPROVED: 6-11-93

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

BUILDING SECTIONS

SCALE: 1/8" = 1'-0" SPEC. No. 7263
SHEET A3.1 OF 15 SHEETS
FILE No. 192-25-504

ENVIRONMENTAL ENHANCEMENT THROUGH ENGINEERING

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE



REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, DONG, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: C. Wright
DRAWN: R. Bowen
CHECKED: W. Triller
SUBMITTED: E. Levy
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

BUILDING SECTIONS

SCALE: 1/8" = 1'-0" SPEC. No. 7283
SHEET A3.2 FILE No. 192-25-504
37 OF 155

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE



ENVIRONMENTAL ENHANCEMENT THROUGH ENGINEERING

REVISION	DATE	DESCRIPTION	BY	BY

CROWELL, TRUEMPER, LEVY, PARKER & BOODSHALL
ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: G. Cuevas
CHECKED: W. Mills
SUBMITTED: E. Hotz
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING
WALL SECTIONS

SCALE: 3/4" = 1'-0 | SPEC. No. 7289
SHEET: A4.1 | 30 of 55
FILE No. 192-25-502

DRAWING REDUCED ONE HALF SIZE

COPY PRESIDIO OF SAN FRANCISCO CALIFORNIA

FUNCTION ANALYSIS - VE PAYS



1 A2.1 A6.1 A4.2 SECTIONS - MONITOR AT SALES 3/4" = 1' - 0

2 A2.1 A5.1 A4.2 ROOF @ SALES/CHECKOUT 3/4" = 1' - 0

3 A2.1 A2.3 A5.1 A4.2 SECTION THRU GABLE END 3/4" = 1' - 0

4 A2.1 A5.1 A4.2 PARTIAL SECTION THRU MONITOR 3/4" = 1' - 0

SCALE: 3/4" = 1'-0

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: G. Owen
CHECKED: W. Miller
SUBMITTED: E. Lau
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING
WALL SECTIONS

SCALE: 3/4" = 1'-0 SPEC. No. 7283
SHEET A4.2 FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



1 A3.2/A4.3 A1.1 — WEST WALL - DRY STO. & O.H. DOOR — 3/4" = 1' - 0

2 A3.1/A4.3 A1.1 — NORTH WALL - DRY STORAGE — 3/4" = 1' - 0

3 A3.1/A4.3 A6.4/A1.1 — SOUTH WALL - SALES — 3/4" = 1' - 0

4 A1.1/A4.3 — SOUTH WALL - FROZEN FOOD FREEZER — 3/4" = 1' - 0

SCALE: ½" = 1'-0

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL — ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. W. Wright
DRAWN: Y. Carter
CHECKED: W. Mullen
SUBMITTED: E. Lewis
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING
WALL SECTIONS

SCALE: 3/4" = 1'-0 | SPEC No. 7285
SHEET: A6.3 | FILE No. 192-25-504

ENVIRONMENTAL ENHANCEMENT THROUGH ENGINEERING

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

© CPO 1987

FUNCTION ANALYSIS - VE PAYS



4 | A6.1 | A4.4 ROOF PARAPET BETWN N. & S. CHECKOUT MONITORS @ E. WALL
3/4" = 1'-0



1 | A2.3 | A3.2 | A1.1 | M4.4 SECTION @ (15) @ ADMIN. AREA
3/4" = 1'-0
NOTE: SECTION @ (C) - MANAGER'S AREA - SIM.



2 | A2.4 | A4.4 | A1.1 EAST WALL - EXISTING BLDG.
3/4" = 1'-0



3 | A3.2 | A1.1 | A4.4 NORTH WALL - NEW BLDG. @ ADMIN. AREA / SOUTH WALL - EXIST. BLDG.
3/4" = 1'-0

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & BECKSMALL ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: G. Owen
CHECKED: W. Miller
SUBMITTED: E. Levy
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING
WALL SECTIONS

SCALE: 3/4" = 1'-0
SPEC. No. 7283
SHEET A4.4 of 15
FILE No. 192-25-504

SCALE: 3/4" = 1'-0

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

© GPO 744-133



1 (42.4/A4.5, A1.1) EXISTING BUILDING @ DOCK
3/4" = 1'-0



2 (A3.2/A4.5, A1.1) NORTH WALL - EXISTING BUILDING
3/4" = 1'-0



3 (A1.1/A4.5, A5.1) WEST WALL - EXIST. BLDG. / EAST WALL - DRY STO.
3/4" = 1'-0

12" 0 1' 2' 3'
SCALE: 3/4" = 1'-0

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL — ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: C. Wright
DRAWN: S. Crum
CHECKED: W. Miller
SUBMITTED: E. Levy
DATE APPROVED: 6-[illegible]-77

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING
WALL SECTIONS

SCALE: 3/4" = 1'-0
SHEET: A4.5 (27 OF 139)
SPEC. No. 7283
FILE No. 192-25-504

DRAWING REDUCED ONE HALF SIZE



1 A1.1 A4.6 WEST WALL - BREAK RM. (55) @ DRY STORAGE
3/4" = 1' - 0

2 A1.1 A4.6 EAST WALL - DRY STORAGE (57)
3/4" = 1' - 0

3 A1.1 A4.6 SECURITY PARTITION @ SENSITIVE STORAGE (44)
3/4" = 1' - 0

4 A1.1 A3.1 A4.6 A6.6 SOUTH WALL - DRY STO. (57) @ SALES (56)
3/4" = 1' - 0

5 A1.1 A3.1 A4.6 WEST WALL - SENSITIVE STO. (44)
3/4" = 1' - 0

SCALE: 3/4" = 1'-0

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODBRIDGE
ARCHITECT/ENGINEER
BHARREL, GRUND, NOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: Y. Ouen
CHECKED: D. Trillis
SUBMITTED: E. Levy
DATE APPROVED: 8-11-83

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

WALL SECTIONS

SCALE: 3/4" = 1'-0 | SPEC. No. 7263
SHEET: A4.6 (55 of 65 Sheets) | FILE No. 192-25-502

DRAWING REDUCED ONE HALF SIZE

COPY NOT FOR RELEASE

FUNCTION ANALYSIS - VE PAYS



1 AA.10 | A4.7 | A1.1 — WEST WALL - MEAT & PRODUCE RECEIVING / MECHANICAL MEZZANINE
3/4" 1' 0

2 A1.1 | A4.7 — EAST WALL - MEAT & PRODUCE RECEIVING
3/4" = 1' - 0

3 A6.6 | A4.7 | A1.1 — WEST WALL - MEAT AISLE / EAST WALL - MECH. MEZZANINE
3/4" = 1' - 0

4 A1.1 | A4.7 — CLG. @ GRID LINE (10) BET. (G) & (D)
3/4" = 1' - 0

SCALE: 3/4" = 1'-0

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL — ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: Y. Green
CHECKED: W. Miller
SUBMITTED: E. Berry
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

WALL SECTIONS

SCALE: AS SHOWN | SPEC. No. 7283
SHEET: A4.7 of 44 SHEETS | FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

GPO 791-139



1 A1.1 A4.8 NORTH WALL-BREAK RM. (32)
3/4" = 1'-0

2 A5.1 A4.8 A6.6 A1.1 SECTION @ DAIRY WALK-IN REFRIGERATOR (9)
3/4" = 1'-0"



3 A5.1 A4.8 SECTION @ ROOF ℄ CLG. BET. LIGHT MONITORS @ SALES (56)
3/4" = 1'-0

12" 0 1' 2' 3'
SCALE: 3/4" = 1'-0

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: S. Owen
CHECKED: W. Miller
SUBMITTED: E. Levy
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING
WALL SECTIONS

SCALE: AS SHOWN SPEC. No. 7283
SHEET A4.8 45 OF 165
FILE No. 192-25-504

DRAWING REDUCED ONE HALF SIZE

COPY
GOVERNMENT
PUBLIC LIBRARY
RESOURCES



1 / A1.1 A4.9 — NORTH WALL - DRY STORAGE @ EXIST. DOCK
3/4" = 1' - 0



2 / A1.1 A4.9 — EAST WALL @ STO. SPACE BET. NEW & EXIST. BLDG.
3/4" = 1' - 0

SCALE: 3/4" = 1'-0

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
BHAPKO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: G. Owen
CHECKED: W. Miller

PRESIDIO OF SAN FRANCISCO — CALIFORNIA

COMMISSARY BUILDING
WALL SECTIONS

SUBMITTED: E. Levy
DATE APPROVED: 6-11-87
SCALE: 3/4" = 1'-0
SPEC. No. 7283
SHEET: A4.9 (46 OF 102)
FILE No: 192-25-504

DRAWING REDUCED ONE HALF SIZE





2 INSULATION PATTERN
A5.1 | A5.1 NO SCALE



3 ROOF DRAIN
A5.1 | A5.1 NTS



4 FLASHING & PIPE SUPPORT OR TALL VENT
A5.1 | A5.17 3" = 1'-0



5 FLASHING & VENT PIPE
A5.1 | A5.1 3" = 1'-0

0 1' 2'
SCALE : 1½" = 1'-0

0" 3" 6" 9" 12"
SCALE : ¾" = 1'-0

1 ROOF PLAN
A5.1 | A5.1 1/16" = 1'-0"

DS = DOWNSPOUT
RD = ROOF DRAIN - 3/A5.1
OS = OVERFLOW SCUPPER - 8/A6.10

0'0 10' 20' 30'
SCALE: 1/16" = 1'-0

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL ARCHITECT/ENGINEER
SHAPIRO, OENIG, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: D. Calaway
CHECKED: W. Miller
SUBMITTED: E. Levy

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

ROOF PLAN

DATE APPROVED: 6-11-87

SCALE: 1/16" = 1'-0" SPEC. No. 7283

SHEET A5.1 47 OF 65

FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

COPY

FUNCTION ANALYSIS - VE PAYS



LEGEND

- MECHANICAL SUPPLY
- MECHANICAL RETURN
- LIGHT FIXTURE
- SPEAKER
- CCTV CAMERAS
- MECHANICAL SUPPLY
- LIGHT FIXTURE

AC: ACOUS. CLG.
GBC: GYP. BD. CLG.
PC: PLASTER CLG.
EXP.: EXPOSED (NO CLG.)

REFLECTED CEILING PLAN FOR DRY STORAGE

1/8" =1'-0"

PROJECT NORTH



KEY PLAN

SCALE: 1/8" =1'-0

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT-ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: E. Otwell
CHECKED: W. Mills

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

REFLECTED CEILING PLAN FOR DRY STORAGE

SUBMITTED: E. Doty
DATE APPROVED: 6-11-57

SCALE: 1/8" =1'-0" | SPEC No. 7283
SHEET: A5.2 of 65 | FILE NO. 192-25-504

ENVIRONMENTAL ENHANCEMENT ENGINEERING

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



LEGEND

- MECHANICAL SUPPLY
- MECHANICAL RETURN
- LIGHT FIXTURE
- SPEAKER
- CCTV CAMERAS
- MECHANICAL SUPPLY
- LIGHT FIXTURE
- LIGHT FIXTURE

AC: ACOUS. CLG.
GBC: GYP. BD. CLG.
PC: PLASTER CLG.
EXP.: EXPOSED (NO CLG.)
ST: STUCCO SOFFIT
SJ: STUCCO JOINT
MJG: SEE 6/A6.18

1 A5.3 A5.3 REFLECTED CEILING PLAN FOR DRY STORAGE/ADMINISTRATION
1/8" =1'-0"

PROJECT NORTH



KEY PLAN

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: E. Atwell
CHECKED: W. Miller
SUBMITTED: E. Levy
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

REFLECTED CEILING PLAN FOR DRY STORAGE/ADMINISTRATION

SCALE: 1/8" =1'-0" SPEC No. 7283
SHEET A5.3 49 OF 55
FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



LEGEND

- MECHANICAL SUPPLY
- MECHANICAL RETURN
- LIGHT FIXTURE
- SPEAKER
- CCTV CAMERAS
- MECHANICAL SUPPLY
- LIGHT FIXTURE
- LIGHT FIXTURE

AC: ACOUS. CLG.
GBC: GYP. BD. CLG.
PC: PLASTER CLG.
EXP.: EXPOSED (NO CLG.)
ST: STUCCO SOFFIT
SJ: STUCCO JOINT
FF: FLY FAN
MJH: SEE 7/A6.18
CCJ: CEILING CONTROL JNT. (SEE 17/A6.4)
SB: STUCCO BULKHEAD ABOVE
GBB: GYP BD BULKHEAD ABOVE

PROJECT NORTH

REFLECTED CEILING PLAN FOR SALES/CHECKOUT

1 A5.4 A5.4 — 1/8" =1'-0"

KEY PLAN

SCALE: 1/8" =1'-0"

ENVIRONMENTAL ENHANCEMENT ENGINEERING

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL — ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: D. Wright
DRAWN: E. Otterbein
CHECKED: W. Miller
SUBMITTED: E. Levy
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO — CALIFORNIA

COMMISSARY BUILDING

REFLECTED CEILING PLAN FOR SALES/CHECKOUT

SCALE: 1/8" =1'-0" | SPEC No. 7283
SHEET: A5.4 50 OF 65 | FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



LEGEND

- MECHANICAL SUPPLY
- MECHANICAL RETURN
- LIGHT FIXTURE
- SPEAKER
- CCTV CAMERAS
- MECHANICAL SUPPLY
- LIGHT FIXTURE

CCJ: CEILING CONTROL JOINT (SEE 17/A6.4)
AC: ACOUS. CLG.
GBC: GYP. BD. CLG.
PC: PLASTER CLG.
EXP.: EXPOSED (NO CLG.)

SEE SHT. E2.5 FOR LIGHTING LAYOUT ON CWC CEILINGS.

---- 3⅝" METAL STUD WALL WITH ⅝" GYP. BD. EA. SIDE FROM TOP OF CMU OR CONCRETE WALL TO ROOF STRUCTURE ABOVE. 3½" BATT INSUL. IN WALL. SEAL ALL JOINTS, CRACKS, & OPENINGS TO PROVIDE A VAPOR TIGHT WALL

I / A5.5 | A5.5

REFLECTED CEILING PLAN FOR REFRIGERATED STORAGE

1/8" = 1'-0"

SCALE: 1/8" = 1'-0

PROJECT NORTH



REVISION	DATE	DESCRIPTION	BY	BY
△				
△				

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPPELL, CHING, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: E. Ofwell
CHECKED: W. Miller

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

REFLECTED CEILING PLAN FOR REFRIGERATED STORAGE

SUBMITTED: E. Levy
DATE APPROVED: 6-11-87
SCALE: 1/8" = 1'-0" SPEC No. 7283
SHEET: A5.5 5 OF 65
FILE No. 192-25-504

ENVIRONMENTAL ENHANCEMENT ENGINEERING

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE



1 A4.7 A4.4 A4.3 — HEAD AT VERT. LIFT / VENT DOORS — A6.1 3" = 1'-0



2 A4.7 A4.4 A4.3 — JAMB AT VERT. LIFT / VENT DOORS — A6.1 3" = 1'-0





6 A2.4 A4.7 — HEAD AT OVERHEAD DOOR — A6.1 3" = 1'-0

3 A4.7 A2.4 — SILL AT VERT. LIFT / VENT DOORS — A6.1 3" = 1'-0



4 A2.4 A6.1 — HEAD AT EXT. DOOR (JAMB SIM.) (CONC. & CONC. BLK. WALL) — 3" = 1'-0



5 A2.4 A1.14 — DOOR SILL — A6.1 3" = 1'-0



7 A1.1 A1.14 A6.1 — DOOR SILL - MECH. MEZZANINE TO ROOF — 3" = 1'-0"

0 3" 6" 9" 12"
SCALE : 3" = 1'-0

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL — ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: D. Calaway
CHECKED: W. Miller
SUBMITTED: E. Lopez
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO — CALIFORNIA

COMMISSARY BUILDING

EXTERIOR DOOR DETAILS

SCALE: AS NOTED — SPEC No. 7283
SHEET: A6.1 of 153 — FILE No. 192-25-504

DRAWING REDUCED ONE HALF SIZE

COPY

FUNCTION ANALYSIS - VE PAYS



REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: G. Stone
CHECKED: W. Miller
SUBMITTED: E. Levy
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

EXTERIOR DETAILS

SCALE: AS SHOWN SPEC. No. 7283
SHEET A6.2 53 OF 155
FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



1 A1.11 A6.3 — SECTION @ FREEZER SLAB & CURB
3/4" =1'-0"



2 A6.3 A6.3 — SECTION @ WALL & CURB
1-1/2" =1'-0"



3 A1.8 A6.3 — WALL & CURB @ QUARRY TILE
1-1/2" =1'-0"



4 A1.14 A6.3 — SURFACE APPLIED THRESHOLD
1-1/2" =1'-0"





6 A1.8 A6.3 — GUARD RAIL @ SLIDING DOOR @ WALKIN (GR-2)
3/4" =1'-0"



7 A1.11 A1.12 A6.3 — DETAIL @ CLOSURE
3" =1'-0"



8 A1.14 A6.3 — STAINLESS STEEL THRESH.
3" =1'-0" (AT FREEZER DOORS)

5 A2.1 A6.3 — COOLER ROOF SUPPORT DETAIL
NOT TO SCALE



9 A2.1 A6.3 — COOLER ROOF SUPPORT PARALLEL TO JST.
NOT TO SCALE



12 A2.1 A6.3 — COOLER ROOF SUPPORT PERPENDICULAR TO JST.
NOT TO SCALE



10 A1.6 A6.3 — SECTION THROUGH GUARD-RAIL @ CART AREA (GR-3)
3" =1'-0"



13 A2.1 A6.3 — COOLER ROOF SUPPORT PERPINDICULAR TO JST.
NOT TO SCALE



11 A1.8 A1.11 A2.1 A1.4 A1.10 A1.12 A6.3 — DETAIL @ FLOOR DRAIN
1-1/2" =1'-0"



14 A2.1 A6.3 — CEILING PENETRATION @ COOLERS
1-1/2" =1'-0"



15 A3.2 A6.3 — HEAD - SECURITY FENCE GATE
3" =1'-0"

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL — ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: E. Farrell
CHECKED: W. Miller

PRESIDIO OF SAN FRANCISCO — CALIFORNIA

COMMISSARY BUILDING

INTERIOR DETAILS

SUBMITTED: E. Levy
DATE APPROVED: 6-11-87
SCALE: AS SHOWN
SPEC No. 7283
SHEET: A6.3
54 OF 65
FILE No. 192-25-504

ENVIRONMENTALLY ENHANCED STEEL FRAME BUILDING

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



1 A6.6 | A6.4 — PARTITION CONTROL JOINT (C.J.) — 3" =1'-0"



2 A1.14 | A6.4 — HEAD @ BUMPER DOORS — 3" =1'-0"



3 A1.14 | A6.4 — JAMB @ BUMPER DOORS — 3" =1'-0"



4 A1.14 | A6.4 — DOOR OPNG. 5'-0 & GREATER — 3" =1'-0"



5 A1.14 | A6.4 — DOOR OPNG. LESS THAN 5'-0 — 3" =1'-0"
NOTE: PROVIDE DBL. 20 GA. STUDS @ EA. JAMB AND STUD-BOX HEADER @ EA HEAD OVER 4'-0 WIDE.



6 A1.6 | A6.4 — HEAD/SILL @ INT. GLAZING — 3" =1'-0" — JAMB SIMILAR



7 A1.14 | A6.4 — H.M. FRAME @ MASONRY (OR CONC.) — 3" =1'-0"



8 A1.14 | A6.4 — DOOR HEAD & JAMB — 3" =1'-0"



9 A1.14 | A6.4 — JAMB — 3" =1'-0"



10 A1.14 | A6.4 — JAMB — 3" =1'-0"



11 A1.14 | A6.4 — HEAD — 3" =1'-0"



12 A1.14 | A6.4 — JAMB — 3" =1'-0"



13 A1.14 | A6.4 — JAMB-(HEAD SIMILAR) — 3" =1'-0"



14 A1.14 | A6.4 — JAMB - HEAD SIMILAR — 3" =1'-0"



15 A1.14 | A6.4 — HEAD & JAMB — 3" =1'-0"



16 A1.14 | A6.4 — JAMB - HEAD SIMILAR — 3" =1'-0"



17 A5.4 A6.4 | A5.5 — 3" =1'-0"

SCALE: 3" =1'-0"

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL — ARCHITECT/ENGINEER
SHAFFER, OSMO, NOH AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: a. Wright
DRAWN: E Otwell
CHECKED: W. Miller

PRESIDIO OF SAN FRANCISCO — CALIFORNIA

COMMISSARY BUILDING

INTERIOR DETAILS

SUBMITTED: E. Berry — DATE APPROVED: 8-11-87

SCALE: AS SHOWN | SPEC No. 7283
SHEET: A6.4, 55 OF 65 | FILE No. 192-25-504

ENVIRONMENTAL ENHANCEMENT THROUGH ENGINEERING

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



1 / A1.14 | A6.5 — HEAD @ COOLER / FREEZER & BUMPER DOOR
3" =1'-0"
SEE 4 & 8/A6.3 FOR THRESHOLD DETAIL



2 / A1.14 | A6.5 — JAMB @ SLIDING COOLER / FREEZER & BUMPER DOOR
3" =1'-0"



3 / A1.14 | A6.5 — HEAD @ COOLER / BUMPER DOOR
3" =1'-0"
SEE 4 & 8/A6.3 FOR THRESHOLD DETAIL



4 / A1.14 | A6.5 — JAMB @ COOLER DOOR
3" =1'-0"



5 / A1.14 | A6.5 — MARBLE THRESHOLD
FULL SIZE



6 / A1.14 | A6.5 — CARPET TO VCT
FULL SIZE



7 / A1.14 | A6.5 — VCT TO CONC.
HALF SIZE



11 / A1.14 | A6.5 — SURFACE APPLIED THRESHOLD
HALF SIZE



10 / A1.14 | A6.5 — THRESHOLD
FULL SIZE



9 / A1.14 | A6.5 — TILE REDUCER STRIP
FULL SIZE



8 / A1.14 | A6.5 — ALUM ENTRANCE THRESHOLD
HALF SIZE

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL — ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: E. Cunell
CHECKED: W. Miller
SUBMITTED: E. Levy — DATE APPROVED: 6-11-67

PRESIDIO OF SAN FRANCISCO — CALIFORNIA

COMMISSARY BUILDING

INTERIOR DETAILS

SCALE: AS SHOWN | SPEC No. 7283
SHEET: A6.5 — 56 OF 65 | FILE No. 192-25-504

ENVIRONMENTAL ENGINEERING
ENERGY CONSERVATION
ETHYL ENGINEERING

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

COPY FURNISHED TO AID IN THE NATIONAL DEFENSE

FUNCTION ANALYSIS - VE PAYS



1 AI.1 AG.6 EAST INTERIOR ELEVATION @ CHECKOUT AREA
1/8"=1'-0



2 AI.1 AG.6 NORTH INTERIOR ELEVATION @ SALES AREA
1/8"=1'-0



3 AI.1 AG.6 WEST INTERIOR ELEVATION @ SALES AREA
1/8"=1'-0



8 AG.6 AG.15

4 AI.1 AG.6 SOUTH INTERIOR ELEVATION @ SALES AREA
1/8"=1'-0

TYP: 16/17 PLANTIN MEDIUM, CAPS & LOWER CASE FLUSH LEFT & RIGHT. 2-COLUMNS, 4-7/8" WIDE W/ 1/2" MARGIN BTWN. COLUMNS. COLUMNS TO BE EQUAL LENGTH. PARAGRAPHS DO NOT INDENT.



MOUNT TOP OF FRAMED PLAQUE @ 6'-0 A.F.F.

5 AG.6 AG.6 BANNER PLAQUES
3"=1'-0"



6 AG.6 AG.6 PLASTIC LAMINATE PANEL
3"=1'-0"

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & BOOSSMALL ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: C. Wright
DRAWN: G. Stone
CHECKED: W. Miller

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING
INTERIOR ELEVATIONS

SUBMITTED: E. Levy
DATE APPROVED: 6-11-87
SCALE: AS SHOWN
SHEET 57 OF 102
SPEC No. 7289
FILE No. 192-25-504
AG/6

ENVIRONMENTAL ENHANCEMENT THRU ENGINEERING

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

© GPO 786-111

FUNCTION ANALYSIS - VE PAYS



1 A1.1 A6.7 — TOILET & LOCKERS PLAN
1/4" =1'-0"



2 A6.7 A6.7 — ELEVATION
1/4" =1'-0"



3 A6.7 A6.7 — ELEVATION
1/4" =1'-0"



4 A6.7 A6.7 — ELEVATION
1/4" =1'-0"



5 A6.7 A6.7 — ELEVATION
1/4" =1'-0"



6 A1.1 A6.7 — TOILET PLAN
1/4" =1'-0"



7 A6.7 A6.7 — ELEVATION
1/4" =1'-0"



8 A1.1 A6.7 — TOILET PLAN
1/4" =1'-0"



9 A6.7 A6.7 — ELEVATION
1/4" =1'-0"



10 A6.7 A6.7 — ELEVATION
1/4" =1'-0"



11 A6.7 A6.7 — ELEVATION
1/4" =1'-0"



12 A6.7 A6.7 — ELEVATION
1/4" =1'-0"



13 A6.7 A6.7 — ELEVATION
1/4" =1'-0"



14 A1.1 A6.7 — TOILET PLAN
1/4" =1'-0"



15 A6.7 A6.7 — ELEVATION
1/4" =1'-0"



16 A6.7 A6.7 — ELEVATION
1/4" =1'-0"



17 A6.7 A6.7 — ELEVATION
1/4" =1'-0"



18 A6.7 A6.7 — ELEVATION
1/4" =1'-0"



19 A6.7 A6.7 — ELEVATION
1/4" =1'-0"



20 A6.7 A6.7 — SECTION @ LOCKERS
1 1/2" =1'-0"

SCALE: 1/4" =1'-0

SCALE: 1½" =1'-0

LEGEND

CMU	=	CONC MASONRY UNIT
CT	=	CERAMIC TILE
FD	=	FLOOR DRAIN
GB	=	GRAB BAR
GWB	=	GYPSUM WALL BOARD
HL	=	HANDICAP LAV
HU	=	HANDICAP URINAL
HWC	=	HANDICAP WATER CLOSET
L	=	LAVATORY
MG	=	MIRROR 18" X 24"
MP	=	METAL TOILET PARTITION
PTD	=	PAPER TOWEL DISPENSER
SD	=	SOAP DISPENSER
SND	=	SAN. NAP. & TAMPON DISPOSER
SNTD	=	SAN. NAP. & TAMPON DISPENSER
SS	=	SERVICE SINK
TTD	=	TOILET TISSUE DISPENSER
U	=	URINAL
WC	=	WATER CLOSET
WR	=	WASTE RECEPTICLE
FEC	=	FIRE EXTINGUISHER CABINET

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL — ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: C. Wright
DRAWN: E. Otwell
CHECKED: W. Miller

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

1/4" TOILET PLANS & ELEVATIONS

SUBMITTED: E. Levy
DATE APPROVED: 6-11-87
SCALE: SPEC No. 7283
SHEET: A6.7 58 OF 55
FILE No.: 192-25-504

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



SALES MONITOR DETAILS

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & BROOKSHALL ARCHITECT/ENGINEER
SHAPIRO, OSNOS, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: S. Castagno
CHECKED: W. Miller

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

EXTERIOR DETAILS

SUBMITTED: E. Levy
DATE APPROVED: 6-11-87
SCALE: AS SHOWN
SHEET A6.8 OF 57 SHTS
FILE NO. 192-25-506
SPEC NO. 7283

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

© CPO 7th-111

COPY NOT TO BE USED

FUNCTION ANALYSIS - VE PAYS



1 RAKE
A1.2/A6.9 3" = 1'-0"

2 TUBE TRUSS
A2.9/A6.9 A2.9 3" = 1'-0"

3 EAVE
A1.2/A6.9 3" = 1'-0"



7 ROOF TO WALL EXPANSION JOINT EXIST. BLDG / NEW BLDG.
A4.4/A6.9, A4.5, A4.9 3" = 1'-0"



4 SILL
A4.2/A6.9 3" = 1'-0"



TYPICAL - ALL WOOD BLOCKING SHALL BE TREATED

5 RELIEF JOINT IN ROOF
A5.1/A6.9 3" = 1'-0"



6 RIDGE DETAIL @ MONITOR
A4.2/A6.9 1 1/2" = 1'-0"

SCALE: 1 1/2" = 1'-0

SCALE: 3" = 1'-0

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TREMPER, LEVY, PARKER & WOODSMALL ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: S. Cartagena
CHECKED: W. Miller
SUBMITTED: E. Levy
DATE APPROVED: 6-11-97

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

EXTERIOR DETAILS

SCALE: AS SHOWN | SPEC No. 7283
SHEET A609 | FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

© GPO 788-335

COPY PHOTOGRAPHIC MATERIAL PROTECTED

FUNCTION ANALYSIS - VE PAYS



1 A1.8|A6.10 ENLARGED PLAN SECTION
1½"=1'-0



4 A1.8|A6.10 ENLARGED PLAN SECTION
1½"=1'-0



8 A1.6|A6.10 ENLARGED PLAN SECTION
1½"=1'-0



2 A1.8|A6.10 ENLARGED PLAN SECTION
1½"=1'-0



5 A1.8|A6.10 ENLARGED PLAN SECTION
1½"=1'-0



9 A1.6|A6.10 SECTION @ ENTRY COL. & DOWNSPOUT
1½"=1'-0
SCALE: 1½"=1'-0



3 A1.6|A6.10 PLAN SECTION @ PILASTER
1½"=1'-0

6 A1.6|A6.10 PLAN SECTION @ PILASTER
1½"=1'-0



7 A1.6|A6.10 PLAN SECTION @ COL. FURRING
1½"=1'-0



10 A1.6|A6.10 ENLARGED PLAN SECTION
1½"=1'-0

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, DEMO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: G. Stone
CHECKED: W. Miller
SUBMITTED: E. Levy
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

EXTERIOR DETAILS

SCALE: AS SHOWN SPEC. No. 7283
SHEET A6.10 61 OF 165
FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



1 A4.3/A6.11 — TYP. COPING / FASCIA DETAIL
1½" = 1'-0



2 A4.4/A6.11/A22 — RIDGE CAP DETAIL
1½" = 1'-0



3 A4.1/A6.11 — STUCCO FASCIA BEAM
1½" = 1'-0



4 A4.4/A6.11 — STUCCO FASCIA
1½" = 1'-0

5 A4.3/A6.11 — STUCCO BAND
1½" = 1'-0



6 A6.11/A4.1 — GUTTER DETAIL
3" = 1'-0"

SCALE: ¾" = 1'-0

SCALE: 1½" = 1'-0

REVISION	DATE	DESCRIPTION	BY	BY
0				

CROMWELL, TRUESDELL, LEVY, PARKER & WOODWARD, ARCHITECTS/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: C. Wright
DRAWN: D. Calaway
CHECKED: W. Miller
SUBMITTED: E. Story

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

EXTERIOR DETAILS

DATE APPROVED: 6-11-87
SCALE: AS SHOWN
SHEET: A6.11 (22 OF 45)
FILE No.: 192-25-504
SPEC. No. 7283

ENVIRONMENTAL ENHANCEMENT BEYOND CONSIDERATION

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



1 GUARD POST 1 (GP-1)
A1.2 A1.G A1.8 A1.4 | A6.12
1 1/2" = 1'-0



2 CORNER GUARD 2 (CG-2)
A1.4 A1.G A1.8 | A6.12
3" = 1'-0



3 CORNER GUARD 1 (CG-1)
A1.G A1.8 | A6.12
3" = 1'-0



4 RACK POST PROTECTOR (R.P.P.)
A1.2 A1.4 | A6.12
N.T.S.



5 GUARD POST (GP-2 & GP-3)
A1.G A1.8 A1.2 | A6.12
1 1/2" = 1'-0



6 PIPE GUARD (PG-1)
A1.2 A1.4 A1.8 | A6.12
3/4" = 1'-0



7 PLAN-PIPE GUARD & GUARD POST
A1.2 A1.4 A1.8 A1.6 | A6.12
3" = 1'-0



8 STAINLESS STL. CLADDING ON STL. TUBE COL.
A1.6 | A6.12
3" = 1'-0



9 ELEVATION @ RAMP
A2.4 A6.12 | A6.12
3/4" = 1'-0



10 STAIR SECTION
A1.2 | A6.12
3/4" = 1'-0



11 SURCHARGE SIGN
C2.1 | A6.12
N.T.S.



12 REMOVABLE PIPE RAIL
A6.12 | A6.12
1" = 1'-0



REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODWARD ARCHITECTS/ENGINEERS
SHAFFER, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: C. Wright
DRAWN: D. Calloway
CHECKED: W. Miller
SUBMITTED: [signature]
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING
DETAILS

SCALE: AS SHOWN | SPEC. No. 728.3
SHEET A6.12 OF 85 | FILE No. 192-25-504

ENVIRONMENTAL ENHANCEMENT THROUGH CONSTRUCTION

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

© GPO 788-811

COPY

FUNCTION ANALYSIS - VE PAYS



1 A1.6 | A6.13 — ITEM NO. 339 - ISLAND SHELVING
3/4" = 1'-0



2 A1.6 | A6.13 — ITEM NO. 341 - HALF GONDOLA SHELVING
3/4" = 1'-0



3 A1.6 | A6.13 — ITEM NO. 342 - HALF GONDOLA SHELVING
3/4" = 1'-0



4 A1.2 | A1.4 | A6.13 — ITEM NO. 619 - PALLET STORAGE RACKS
1½" = 1'-0



5 A1.2 | A1.4 | A1.6 | A1.8 | A6.13 — FIRE EXTINGUISHER CABINET (F.E.C.)
1½" = 1'-0



NOTE: 1 EA. @ ALL JAN. RM'S.

6 A1.2 | A1.4 | A1.6 | A1.8 | A6.13 — MOP STRIP
1½" = 1'-0



7 A1.2 | A1.4 | A1.6 | A6.13 — BASE AND WALL CABINET
1½" = 1'-0



8 A1.2 | A6.13 — CABINET ELEV. BREAK ROOM 52
1½" = 1'-0



9 A6.7 | A6.13 — CABINET ELEV. BREAK ROOM 55
1½" = 1'-0



10 A1.6 | A6.13 — CABINET ELEV. BAGGERS BREAK RM 4
1½" = 1'-0

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODBRIDGE — ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES — ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: D. Calaway
CHECKED: W. Miller

PRESIDIO OF SAN FRANCISCO — CALIFORNIA

COMMISSARY BUILDING

INTERIOR DETAILS

SUBMITTED: E. Fry
DATE APPROVED: 6-11-87
SCALE AS SHOWN
SPEC. No. 7283
SHEET: A6.13 (64 of 65)
FILE No. 192-25-534

ENVIRONMENTAL ENGINEERING — STORAGE ENGINEERING

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



1 AG.14 AG.14 — PLAN - SUSPENDED CEILING BRACING
1/4" = 1'-0



2 AG.14 AG.14 — LIGHT FIXTURE SUSPENSION
N.T.S.



3 AG.14 AG.14 — SUSP. CEILING @ HANGER WIRES & PERIMETER
N.T.S.



4 AG.14 AG.14 — LATERAL FORCE BRACING
N.T.S.



5 A1.8 AG.14 — PLAN - RECESSED FLOOR SCALE
1" = 1'-0



6 A1.6 AG.14 — ITEM NO. 359 CIGARETTE MERCHANDISER
3/4" = 1'-0





7 A1.8 AG.14 — COUNTER IN VET. INSP. 705A
1/4" = 1'-0



13 A6.14 AG.14 — JAMBS
3" = 1'-0



8 A1.2 AG.14 — WALL AT PUMP ROOM
3/8" = 1'-0

9 A9.2 AG.14 — PARTITION BETWEEN DRY STORAGE 57 & SENSITIVE STORAGE 44
1 1/2" = 1'-0



10 A1.3 AG.6 A1.6 — BUMPER RAIL
3" = 1'-0

12 A6.14 A6.14 — SECTION
3" = 1'-0



REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL — ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED	O. Wright
DRAWN	D. Calaway
CHECKED	W. Miller
SUBMITTED	E. Levy
DATE APPROVED	6-11-87

PRESIDIO OF SAN FRANCISCO — CALIFORNIA

COMMISSARY BUILDING
INTERIOR DETAILS

SCALE AS SHOWN — SPEC No. 7283
SHEET A6.14 OF 15 SHEETS — FILE No. 192-25-504

ENVIRONMENTAL ENHANCEMENT THROUGH ENGINEERING

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS









1 A1.6/A6.15 — I.D. CHECKER COUNTER DETAIL
¾" = 1'-0

2 A1.6/A6.15 — DIVIDER @ I.D. COUNTER
¾" = 1'-0

3 A1.15/A6.15 A1.6 — COUNTER - COUNTING
¾" = 1'-0

4 A6.15/A6.16 A1.6 — COUNTER - COUNTING
¾" = 1'-0





3 A6.15/A6.15 — 6 A1.6/A6.15 COUNTERS - COUNTING
½" = 1'-0



3 A6.15/A6.15





5 A1.6/A6.15 — I.D. COUNTER GATE
¾" = 1'-0



7 A1.6/A6.15 — NORTH WALL - COUNTING
¼" = 1'-0



11 A1.12/A6.15 — SOUTH WALL - PRODUCE MGR. OFFICE (30)
1/4" = 1'-0



12 A1.11/A6.15 — NORTH WALL - MEAT MGR. OFFICE (17)
1/4" = 1'-0

10 A4.7/A6.15 — GUARDRAIL @ MEAT CASE 514 & 515
N.T.S.



COPY
PLEASE CREDIT
NAT'L PARK SERVICE
GGNRA ARCHIVES

REVISION	DATE	DESCRIPTION	BY	BY

GROMMELL, TREMPER, LEVY, PARKER & WOODBRIDGE — ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: O. Lekawny
CHECKED: W. Miller
SUBMITTED: E. Levy
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO — CALIFORNIA

COMMISSARY BUILDING

INTERIOR DETAILS

SCALE AS SHOWN | SPEC No 7283
SHEET A6.15 of 1876 | FILE No 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



1 / A4.1 | A6.16 — HEAD @ STOREFRONT GLAZING
3" = 1'-0



2 / A4.1 | A6.16 — BASE @ STOREFRONT GLAZING
3" = 1'-0



3 / A9.1 | A6.16 — SILL @ UPPER GLAZING - ENTRY AREA
3" = 1'-0



4 / A6.2 | A6.16 | A5.4 — HEAD @ ENTRY DOOR / FLY FAN
3" = 1'-0
DOOR & FAN @ EXIT DOORS - SIM.



5 / A6.2 | A6.16 | A1.14 — SILL @ ENTRY/EXIT-SLIDING DOORS
3" = 1'-0



6 / A4.7 | A6.16 — LOUVERS @ MECH MEZZANINE
3" = 1'-0



8 / A5.1 | A6.16 — OVERFLOW SCUPPER (OS)
3" = 1'-0



7 / A1.14 | A6.16 — AUTO-SWING DOOR THRESHOLD
3" = 1'-0

0 1" 3" 6" 9" 12"
SCALE 3" = 1'-0

COPY
PLEASE CREDIT
NAT'L PARK SERVICE
GGNRA-ARCHIVES

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, THIELBAR, LEVY, PARKER & WOODBRIDGE — ARCHITECTS/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES — ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: O. Wright
DRAWN: G. Stone
CHECKED: W. Miller
SUBMITTED: E. Levy
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO — CALIFORNIA

COMMISSARY BUILDING

EXTERIOR DETAILS

SCALE: AS SHOWN | SPEC. No. 7283
SHEET: A6.16 (67 of 103) | FILE No. 192-25-504

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS





NOTE: 1) USE CASING BEADS @ ALL EDGES
2) USE EXPAN. JT. @ MAX. 30'-0 O.C.





1 A5.3 A5.4 A6.17 — SECTION AT STUCCO SOFFIT
3" = 1'-0

2 A5.3 A5.4 A6.17 — STUCCO SOFFIT DETAILS
3" = 1'-0

3 A6.7 A6.17 — LOCKER ROOM BENCH
3" = 1'-0

4 A2.1 A2.2 A2.3 A2.4 A6.17 — RUSTICATION JOINT
3" = 1'-0





SECTION

5 A1.8 A6.17 — SECTION AT EXTERIOR STAIR
3/4" = 1'-0

6 A4.7 A6.17 A1.8 — GAURD RAIL @ MEAT RESTOCKING AISLE (GR-4)
3" = 1'-0



7 A6.6 A6.17 A1.8 — GUARD RAIL @ MEAT RESTOCKING AISLE (GR-4)
3" = 1'-0



8 A1.6 A6.17 — END WALL AT ITEM NO. 315
1½" = 1'-0"



9 A1.6 A6.17 — END WALL AT ITEM NO. 516
1½" = 1'-0"



10 A1.6 A6.17 — WALL BETWEEN ITEMS 321 & 307
1½" = 1'-0"



COPY
PLEASE CREDIT
NAT'L PARK SERVICE
GGNRA-ARCHIVES

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODBRIDGE
ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: A. Wright
DRAWN: D. Calaway
CHECKED: W. Miller
SUBMITTED: E. Levy
DATE APPROVED: 6-11-87

PRESIDIO OF SAN FRANCISCO — CALIFORNIA

COMMISSARY BUILDING

DETAILS

SCALE AS SHOWN
SPEC. No. 7283
SHEET: A6.17 (48 OF 185)
FILE No. 192-25-504

ENVIRONMENTAL MANAGEMENT
ENHANCED MINED LAND REMEDIATION

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



1 — CONCRETE PILASTERS IN CONCRETE PANEL (MJB)
A2.1 | A6.18 | A2.2 | A2.3 | A2.4
N.T.S.



2 — JOINT BETWEEN MASONRY WALL & CONCRETE (MJD)
A1.4 | A6.18
N.T.S.



3 — EXTERIOR DOORS & THRESHOLDS (TJD)
A2.3 | A6.18 | A2.4
N.T.S.



4 — STEEL COLUMN IN MASONRY WALL (MJF)
A1.11 | A6.18 | A1.12
N.T.S.



5 — STEEL COLUMN IN MASONRY WALL (MJF)
A1.12 | A6.18
N.T.S.



6 — PERIMETER SEAL OF CEILING TO WALL (MJG)
A5.3 | A6.18
N.T.S.



7 — PERIMETER SEAL OF STUCCO CLG. OR SOFFIT TO CONCRETE WALL (MJH)
A5.4 | A6.18
N.T.S.



8 — INTERIOR CONTROL JOINT FOR CERAMIC TILE (MJI)
A6.18 | A6.18
N.T.S.
(OCCURS OVER JOINT IN CONC. SLAB)



9 — EXPANSION JOINT IN QUARRY TILE (MJK)
A6.18 | A6.18
N.T.S.
(OCCURS OVER JOINT IN CONC. SLAB)



10 — PIPE SLEEVE THRU FLOOR (MJM)
M1.4 | A6.18
N.T.S.



11 — PIPE SLEEVE THRU EXIST. WALL OR FOUND. WALL BELOW GRADE (MJN)
M1.2 | A6.18 | M1.3 | M1.5
N.T.S.



12 — CONTROL JOINT IN FOUNDATION WALL (MJO)
A6.18 | A6.18
N.T.S.
LOCATE ON SHOP DRAWING



13 — PIPE SLEEVE FOR INSUL. PIPE THRU WALL - ABOVE GRADE (IPAG)
M1.2 | A6.18 | M1.3 | M1.5
N.T.S.



14 — PIPE SLEEVE FOR BARE PIPE THRU WALL - ABOVE GRADE (PAG)
M1.2 | A6.18 | M1.3 | M1.4 | M1.5
N.T.S.

COPY
PLEASE CREDIT
NAT'L PARK SERVICE
GGNRA-ARCHIVES

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TREMPER, LEVY, PARKER & WOODWALL — ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES — ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: A. Wright
DRAWN: D. Calaway
CHECKED: W. Miller

PRESIDIO OF SAN FRANCISCO — CALIFORNIA

COMMISSARY BUILDING

CAULKING & SEALANT DETAILS

SUBMITTED: E Levy
DATE APPROVED: 6-11-87
SCALE: AS SHOWN
SPEC. No. 7285
SHEET: A6.18 (69 OF 155)
FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



INTERIOR GRAPHICS PLAN

1/16" = 1'-0"

PROJECT NORTH

NOTE:
DOOR SIGNS ARE LOCATED ON WALL ADJACENT TO DOOR UNLESS NOTED

SCALE: 1/16" = 1'-0"

COPY
PLEASE CREDIT
NAT'L PARK SERVICE
GGNRA ARCHIVES

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: A. Andrews
DRAWN: E. Otwell
CHECKED: W. Miller
SUBMITTED: E. Levy

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

SIGNAGE PLAN

DATE APPROVED: 6-11-87

SCALE: 1/16" = 1'-0" | SPEC No. 7283
SHEET A7.1 TO OF 65 | FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



1 A7.1 A7.2 AISLE SIGN (A.S.)
3/4" =1'-0"





2 A7.1 A7.2 SIGNAGE-CHECKOUT STAND
3" =1'-0"

3 A7.1 A7.2 STORAGE RACK SIGNS-STAGING AREA
1/2" =1'-0



4 A7.1 A7.2 TYPICAL RESTROOM SIGNS
3" -1'-0



5 A7.1 A7.2 HANDICAP ACCESS SIGN
3" =1'-0"





6 C3.3 A7.2 PARKING LOT SIGNAGE
1/2" =1'-0
11 REQUIRED



10" LEGEND, WHITE REFLECTORIZED LEGEND AND BORDER ON RED REFLECTORIZED BACKGROUND



7 A7.1 A7.2 LANE SIGNS-QUEUING AREA
3" =1'-0"
CENTER FIGURE HORIZ.

8 A7.1 A7.2 HANDICAP LANE SIGN
3" =1'-0"
QUEUING AREA

9 A7.1 A7.2 TYPICAL DOOR SIGN
3" =1'-0"

12 A2.3 A7.2 BANNER HANGING DETAIL
1/2" =1'-0"
FOR BANNER DESIGN SEE: 1 & 2/A7.3, 1 & 2/A7.4, 1 & 2/A7.5



2" LEGEND, 4" SYMBOL GREEN LEGEND AND BORDER, WHITE SYMBOL ON BLUE BACKGROUND ON WHITE MAJOR BACKGROUND

LETTERS: CAP HT. 2"
SPACE BETWEEN LETTERS: 3/8"
LETTER STYLE: HELVETICA MEDIUM, CAPS & LOWER CASE

10 C3.3 A7.2 PARKING LOT SIGNAGE
3" =1'-0"
6 REQUIRED

11 C3.3 A7.2 PARKING LOT SIGNAGE
HALF SIZE
4 REQUIRED



13 A7.1 A7.2 EMPLOYEE ONLY AND EMERGENCY EXIT SIGN
3" =1'-0"

COPY
PLEASE CREDIT
NAT'L PARK SERVICE
GGNRA-ARCHIVES

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL ARCHITECT/ENGINEER
SHAPIRO, OSMO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: A. Andrews
DRAWN: E. Otwell
CHECKED: W. Miller
SUBMITTED: E. Levy

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

INTERIOR DESIGN SIGNAGE DETAILS

DATE APPROVED: 6-11-87
SCALE: AS SHOWN
SPEC No. 7283
SHEET A7.2 71 OF 65
FILE No. 192-25-504

ENVIRONMENTAL ENGINEERING CIVIL ENGINEERING

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



1 A2.3 A5.4 A7.2 A7.3

BANNER 1 7'-6 x 10'-4
2" = 1'-0



2 A2.3 A5.4 A7.2 A7.3

BANNER 1 COLOR SCHEDULE
2" = 1'-0

GENERAL NOTES:

1. THE FABRIC COLOR OF EACH AREA OF THE BANNERS IS INDICATED. THE FABRIC IS NYLON FLAG BUNTING. COLORS WHICH ARE INDICATED ARE AVAILABLE FROM:
   (1) DETTRA FLAG CO., INC.
   (215) 666-5050
   INDICATED BY LETTER (D)
   (2) ANNIN & CO.
   (201) 239-9000
   INDICATED BY LETTER (A)
2. FOR BANNER CONSTRUCTION DETAILS, SEE SPECIFICATIONS, SECTION 10B, IDENTIFYING DEVICES & GRAPHICS.
3. FOR HANGING DETAILS, SEE SHEET A7.2, DETAIL 12.
4. FOR LOCATION OF BANNERS, SEE SHEET A2.3 & A5.4.

0 1' 2'
SCALE: 1½" = 1'-0

COPY
PLEASE CREDIT
NAT'L PARK SERVICE
CONTRA ARCHIVES

REVISION	DATE	DESCRIPTION	BY	BY
△				
△				

CROMWELL, TRUEMPER, LEVY, PARKER & ASSOCIATES
ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: A. Andrews
DRAWN: D. Calaway
CHECKED: W. Miller

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

INTERIOR DESIGN- BANNER DETAILS

SUBMITTED: E. Levy
DATE APPROVED: 6-11-87
SCALE: 1½" = 1'-0
SPEC. No. 7283
SHEET: A7.3 72 OF 153
FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS



1 — A2.3, A5.4, A7.2 / A7.4

BANNER 2 7'-6 x 10'-4
2" = 1'-0

2 — A2.3, A5.4, A7.2 / A7.4

BANNER 2 COLOR SCHEDULE
2" = 1'-0

GENERAL NOTES:

1. THE FABRIC COLOR OF EACH AREA OF THE BANNERS IS INDICATED. THE FABRIC IS NYLON FLAG BUNTING. COLORS WHICH ARE INDICATED ARE AVAILABLE FROM:
   (1) DETTRA FLAG CO., INC.
   (215) 699-5050
   INDICATED BY LETTER (D)
   (2) ANNIN & CO.
   (201) 239-9000
   INDICATED BY LETTER (A)
2. FOR BANNER CONSTRUCTION DETAILS, SEE SPECIFICATIONS, SECTION 10B, IDENTIFYING DEVICES & GRAPHICS.
3. FOR HANGING DETAILS, SEE SHEET A7.2, DETAIL 12.
4. FOR LOCATION OF BANNERS, SEE SHEET A2.3 & A5.4.

0 1' 2'
SCALE: 1½" = 1'-0

COPY
PLEASE CREDIT
NAT'L PARK SERVICE
GGNRA ARCHIVES

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TRUEMPER, LEVY, PARKER & WOODSMALL
ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: A. Andrews
DRAWN: L. Calaway
CHECKED: W. Miller

PRESIDIO OF SAN FRANCISCO CALIFORNIA

COMMISSARY BUILDING

INTERIOR DESIGN - BANNER DETAILS

SUBMITTED: E. Long
DATE APPROVED: 6-11-87
SCALE: 1½" = 1'-0
SHEET: A7.4 73 OF 155
FILE No.: 192-25-504
SPEC No. 7283

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE

FUNCTION ANALYSIS - VE PAYS





1 — BANNER 3 — 7'-6 × 10'-4
2" = 1'-0
A2.3 | A7.5
A5.4
A7.2

2 — BANNER 3 — COLOR SCHEDULE
2" = 1'-0
A2.3 | A7.5
A5.4
A7.2

GENERAL NOTES:

1. THE FABRIC COLOR OF EACH AREA OF THE BANNERS IS INDICATED. THE FABRIC IS NYLON FLAG BUNTING. COLORS WHICH ARE INDICATED ARE AVAILABLE FROM:
   (1) DETTRA FLAG CO., INC.
   (215) 666-5050
   INDICATED BY LETTER (D)
   (2) ANNIN & CO.
   (201) 239-9000
   INDICATED BY LETTER (A)
2. FOR BANNER CONSTRUCTION DETAILS, SEE SPECIFICATIONS, SECTION 10B, IDENTIFYING DEVICES & GRAPHICS.
3. FOR HANGING DETAILS, SEE SHEET A7.2, DETAIL 12.
4. FOR LOCATION OF BANNERS, SEE SHEET A2.3 & A5.4.

SCALE: 1½" = 1'-0

COPY
PLEASE CREDIT
NAT'L PARK SERVICE
GGNRA ARCHIVES

REVISION	DATE	DESCRIPTION	BY	BY

CROMWELL, TREMPER, LEVY, PARKER & WOODSMALL — ARCHITECT/ENGINEER
SHAPIRO, OKINO, HOM AND ASSOCIATES - ENGINEERS

DEPARTMENT OF THE ARMY
SACRAMENTO DISTRICT, CORPS OF ENGINEERS
SACRAMENTO, CALIFORNIA

DESIGNED: A. Andrews
DRAWN: D. Calaway
CHECKED: W. Miller

PRESIDIO OF SAN FRANCISCO — CALIFORNIA

COMMISSARY BUILDING

INTERIOR DESIGN-BANNER DETAILS

SUBMITTED: E. Levy
DATE APPROVED: 6-11-87
SCALE: 1½" = 1'-0
SPEC. No. 7283
SHEET: A7.5
FILE No. 192-25-504

SAFETY PAYS

DRAWING REDUCED ONE HALF SIZE